





NEW SOLUTIONS FROM THE CORDLESS EXPERTS

The expanding line of Cordless Janitorial & Sanitation products by Makita offers freedom from the cord and unprecedented physical range. Purpose-built Makita motors create efficient power with low noise to deliver high performance without sacrificing user comfort. Innovations ranging from self-cleaning filters to robotic guidance technology guarantee reliable task automation and increase productivity. A comprehensive range of genuine Makita accessories ensures a perfect fit for use in multiple applications. Building a system powered by 40V | 80V max XGT and 18V LXT means being a part of the world's largest Cordless Tool System, allowing seamless compatibility between LXT Cordless Tools within and beyond Janitorial & Sanitation applications.



TABLE OF CONTENTS

BATTERIES & CHARGERS

2-9

Battery Chargers

7

Battery Charger Kits & Adapters

7

Battery Charger Reference Chart

8

Battery & Charger Time Reference Chart

8

Battery Quick Reference Chart

9

Battery Adapters

9

LXT Battery Accessories

9

AUTO-START WIRELESS SYSTEM (AWS) 10-13

CORDLESS BENEFITS 14

COMMERCIAL CLEANING 15-35



Upright Vacuum	16	Dust Extractors	24
Robotic Vacuums	16-17	Commercial Cleaning Accessories	25-35
Backpack Vacuums	17-18	MAKITA FACTORY SERVICE CENTRES	36
Portable Vacuums	18	WARRANTY STATEMENT	37
Cannister Vacuums	19-20		
Stick Vacuums	21-23		

ALWAYS REFER TO MAKITA.CA FOR THE MOST CURRENT
UPDATED INFORMATION



40V | 80V max

A NEW SYSTEM OF EQUIPMENT & TOOLS

XGT is a 40V | 80V max system of cordless equipment and tools. XGT outpowers, outsmarts, and outlasts the rest. Through Makita's innovative engineering, the technology within the XGT system will create the equipment and tools of the future.

40V max

The XGT System is the next generation of technology, engineered to achieve the optimum power required for heavier load applications without sacrificing run time. These high-powered products are the one-Battery solution to handle the most demanding jobs and environments.



100+
PRODUCTS
ONE SYSTEM



BEYOND LIMITS




OUTPOWER

PURE COPPER WIRE

Makita XGT Products feature purpose-built Brushless Motors with more copper windings for increased power output.

RARE EARTH MAGNETS

Rare earth magnets of the highest quality are engineered within the Brushless Motors to maximize power and performance.



OUTSMART

BUILT-IN MICROCHIPS

Built-in microchips in both tool and Battery allow for real-time digital communication, actively monitoring heat, overload, and over-discharge.

DIGITAL COMMUNICATION

Digital communication between XGT Tools and Batteries through enhanced digital communication technology optimize performance to deliver up to 2X longer sustained power during demanding applications.



OUTLAST

WATER & DUST RESISTANCE

Water and dust-resistant triple layer structure and an enhanced terminal structure are engineered to protect against water and dust for any job site condition.

RAPID OPTIMUM CHARGING SYSTEM

XGT Charger and Dual Cooling Fans digitally communicates before and during the charging process, evaluating Battery condition to deliver a consistent fast charge. Charges LXT batteries with adapter.

80V (40Vx2) max

Two batteries mean more power! Makita-built brushless motors, along with two 40V max XGT Batteries, deliver the power and performance required for heavy-load applications. By using two 40V max XGT Batteries, you get 80V of power within one system.

The increased power and performance allow XGT Cordless Equipment and Tools to rival corded tools and gas equipment.



Learn more at makita.ca > XGT



LXT 18V | 36V

ONE SYSTEM. ENDLESS POSSIBILITIES.

The LXT System is the world's largest compatible cordless tool system powered by 18V slide-style batteries. Makita's purpose-built motors, Battery technology, and enhanced communications work together to deliver unmatched power, speed, and run time. Get maximum performance and efficiency with LXT Products for every trade.

18V LXT


Makita was the first to introduce 18V LXT cordless tools. Today, the LXT System is the world's largest compatible 18V slide-style Battery system with over 320 solutions. Makita's purpose-built motors, Battery technology, and enhanced communications work together to deliver unmatched power, speed, and run time. With solutions for every trade, users get maximum performance and efficiency with the LXT System.




320+
PRODUCTS
ONE SYSTEM




MAXIMUM PERFORMANCE




LXT BATTERY
UP TO **50% MORE RUN TIME** ¹



RAPID CHARGING SYSTEM
UP TO **3X FASTER CHARGING** ²



PURPOSE BUILT BRUSHLESS MOTOR
UP TO **50% LONGER MOTOR LIFE** ³



STAR PROTECTION COMPUTER CONTROLS
EFFICIENT POWER MANAGEMENT ⁴

¹ Vs. Makita 18V Ni-Cd Battery. ² Vs Makita 18V Ni-Cd Charger. ³ Vs. Makita Cordless Motors with Brushes. ⁴ Protection against Overloading, Over-Discharging & Overheating.

36V (18Vx2) LXT

36V (18Vx2) LXT Products are powered by two 18V LXT Batteries for maximum power, speed, and run time. By using two 18V LXT Batteries, you get 36V of power and all your cordless tools operate within one system. Makita 36V (18Vx2) LXT Products deliver the power, speed, and run time to handle a wide range of more demanding applications.



Learn more at makita.ca > LXT



40V max XGT Batteries

GOING BEYOND LIMITS



2.5 Ah BATTERY



4.0 Ah BATTERY



5.0 Ah BATTERY



8.0 Ah BATTERY

HIGHER OUTPUT POWER
UP TO 2X LONGER RUN TIME

COMPACT SIZE

LONGER RUN TIME

BL4025
40V max XGT Battery (2.5Ah) **28MIN*** CHARGE TIME

BL4040
40V max XGT Battery (4.0Ah) **45MIN*** CHARGE TIME

BL4050F
40V max XGT Battery (5.0Ah) **50MIN*** CHARGE TIME

BL4080F
40V max XGT Battery (8.0Ah) **76MIN*** CHARGE TIME

* with Makita 40V max XGT Rapid Chargers

40V max XGT Chargers



DC40RA
40V max XGT Rapid Charger

- Charges a 40V max XGT 2.5Ah Battery in 28 minutes, and 4.0Ah Battery in 45 minutes
- Built-in chip communicates during the charging process to control current, voltage, and temperature



New DC40RC
40V max XGT Fast Charger

- Charges a 40V max XGT 2.5Ah Battery in 38 minutes, and 4.0Ah Battery in 67 minutes
- The embedded Central Processing Unit (CPU) in the battery communicates with the charger, analyzing the battery's condition for customized charging



DC40RB
40V max XGT Dual Port Rapid Charger

- Charges a 40V max XGT 2.5Ah Battery in 28 minutes, and 4.0Ah Battery in 45 minutes
- Three fan design circulates air through the batteries and circuit board for faster charging



ADP10
18V LXT Adapter for XGT Chargers

- Adapts 40V max XGT chargers to charge 18V LXT batteries (batteries not included)
- Charges a 18V LXT 5.0Ah Battery in 40 minutes, and 6.0Ah Battery in 50 minutes

18V LXT Batteries



55MIN CHARGE TIME*



45MIN CHARGE TIME*



36MIN CHARGE TIME*



22MIN CHARGE TIME*



15MIN CHARGE TIME*

HIGHEST OUTPUT + FAST CHARGE TIME

HIGH OUTPUT + FASTER CHARGE TIME

6.0Ah BATTERY **BL1860B**
18V LXT Battery (6.0Ah)

5.0Ah BATTERY **BL1850B**
18V LXT Battery (5.0Ah)













4.0Ah BATTERY **BL1840B**
18V LXT Battery (4.0Ah)

3.0Ah BATTERY **BL1830B**
18V LXT Battery (3.0Ah)

1.5Ah BATTERY **BL1815N**
18V LXT Battery (1.5Ah)

* with Makita 18V LXT Rapid Chargers

BATTERY CHARGERS

Model	Description
	18V LXT 4-Port Multi-Charger - DC18SF <ul style="list-style-type: none"> Charges two 18V LXT Batteries at once Optimum Charging System Charges 2 x 18V LXT Batteries (6.0Ah) in 130 minutes Charges 4 x 18V LXT Batteries (6.0Ah) in 260 minutes
	40V max XGT Dual-Port Rapid Charger - DC40RB <ul style="list-style-type: none"> Accepts 40V max XGT BL4025 / BL4040 / BL4050F Batteries Charges two batteries simultaneously and is compatible with ADP10 to adapt XGT charges to charge LXT Batteries Charges 2 x 40V max XGT batteries (2.5Ah) in 28 minutes Charges 2 x 40V max XGT batteries (4.0Ah) in 45 minutes Charges 2 x 40V max XGT batteries (5.0Ah) in 50 minutes
	18V LXT Dual-Port Rapid Charger - DC18RD <ul style="list-style-type: none"> Accepts 18V BL1815N / BL1830B / BL1840B / BL1850B / BL1860B LXT Batteries Design enables two Batteries to be charged simultaneously Forced Air Cooling Fan keeps Battery at optimum charging temperature and prevents over heating
	18V LXT / 12V max CXT Li-Ion Dual-Port Rapid Charger - DC18RE <ul style="list-style-type: none"> Charges 12V max CXT (BL1016, BL1021B, BL1041B) and 18V LXT (BL1815N, BL1830B, BL1840B, BL1850B, BL1860B) Batteries Design enables two Batteries to be charged simultaneously
	New 64V max Li-Ion Standard Charger - DC64WA <ul style="list-style-type: none"> Charges 64V max (4.0Ah) Battery in 120 minutes Charges 64V max (10.0Ah) Battery in 300 minutes Includes overload protection to provide an optimal charge and ensures the battery cannot be overcharged or overheated during the charging process
	40V max XGT Rapid Charger - DC40RA <ul style="list-style-type: none"> Accepts 40V max XGT BL4025 / BL4040 / BL4050F Batteries Digital power display indicates condition of Battery and current charge level (-80%, +80%, 100%) Use with adapter ADP10 to charge 18V LXT Batteries Charges 40V max XGT Battery (2.5Ah) in 28 minutes Charges 40V max XGT Battery (4.0Ah) in 45 minutes
	New 40V max XGT Fast Charger - DC40RC <ul style="list-style-type: none"> Accepts 40V max XGT BL4025 / BL4040 / BL4050F Batteries Digital power display indicates condition of Battery and current charge level (-80%, +80%, 100%) Use with adapter ADP10 to charge 18V LXT Batteries Charges 40V max XGT Battery (2.5Ah) in 38 minutes Charges 40V max XGT Battery (4.0Ah) in 67 minutes
	18V LXT Rapid Charger - DC18RC <ul style="list-style-type: none"> Charges 18V LXT Battery (6.0Ah) BL1860B in just 55 minutes 3 Active Controls System (Current, Voltage & Temperature) provides an optimal charge and ensures Battery cannot be overcharged or overheated during the charging process Central Processing Unit (CPU) in Battery communicates with charger to analyze Battery and charge according to its unique condition
	18V LXT Standard Charger - DC18SD <ul style="list-style-type: none"> Charges 14.4V - 18V LXT and Ni-MH Slide Style Batteries Charges 18V LXT Battery (6.0Ah) BL1860B in 130 minutes Digital Power Display indicates condition of Battery and current charge level (-80%, +80%, 100%)
	18V LXT Automotive Charger - DC18SE <ul style="list-style-type: none"> Charges 7.2V - 18V Ni-Cad, Ni-MH and LXT Slide Style Batteries Plugs into standard 12V / 24V DC Automotive outlets Charges 18V LXT Battery (6.0Ah) in 130 minutes Use Adapter ADP04 (Part No. #193949-2) to charge pod / stick Batteries
	12V max CXT Li-Ion Rapid Charger - DC10SB <ul style="list-style-type: none"> Charges 12V max CXT Li-Ion Battery (2.0Ah) BL1021B in 30 minutes Charges 12V max CXT Li-Ion Battery (4.0Ah) BL1041B in 60 minutes Optimum charging system utilizes 3 active controls (current, voltage & temperature) to maximize battery life
	12V max CXT Li-Ion Standard Charger - DC10WD <ul style="list-style-type: none"> Charges 12V max CXT Li-Ion Battery (2.0Ah) BL1021B in 70 minutes Charges 12V max CXT Li-Ion Battery (4.0Ah) BL1041B in 130 minutes LED digital power display indicates condition of battery and current charge level (<80%, >80%)

BATTERY CHARGER KITS & ADAPTERS

Description	Contents	Part No.
New 40V max XGT Dual-Port Rapid Charger Kit (8.0Ah x2)	Includes: BL4080F 40V max XGT Battery (8.0Ah x2) (BL4080F) & Dual-Port Rapid Charger DC40RB	T-04101
New 40V max XGT Dual-Port Rapid Charger Kit (4.0Ah)	Includes: BL4040 40V max XGT Battery (4.0Ah) (BL4040) & Dual-Port Rapid Charger DC40RB	T-04335
40V max XGT Rapid Charger Kit (5.0Ah)	Includes: BL4050F 40V max XGT Battery (5.0Ah) (BL4050F) & Rapid Charger DC40RA	T-04357
40V max XGT Rapid Charger Kit (4.0Ah)	Includes: BL4040 40V max XGT Battery (4.0Ah) (BL4040), Rapid Charger DC40RA & LXT Battery Adapter ADP10	T-04064
New 40V max XGT Fast Charger Kit (4.0Ah)	Includes: BL4040 40V max XGT Battery (4.0Ah) (BL4040) & Fast Charger DC40RC	T-05935
40V max XGT Rapid Charger Kit (2.5Ah)	Includes: BL4025 40V max XGT Battery (2.5Ah) (BL4025), Rapid Charger DC40RA & LXT Battery Adapter ADP10	T-04070
New 40V XGT Fast Charger Kit (2.5Ah)	Includes: BL4025 40V max XGT Battery (2.5Ah) (BL4025) & Fast Charger DC40RC	T-05929
18V LXT Dual-Port Rapid Charger Kit (5.0Ah x2)	Includes: BL1850B 18V LXT Battery (5.0Ah x2) (196675-2) & Dual-Port Rapid Charger DC18RD	Y-00359
18V LXT Rapid Charger Kit (5.0Ah)	Includes: BL1850B 18V LXT Battery (5.0Ah) (196675-2) & Rapid Charger DC18RC	Y-00309
18V LXT Dual-Port Rapid Charger Kit (4.0Ah x2)	Includes: BL1840B 18V LXT Battery (4.0Ah x2) (196401-9) & Dual-Port Rapid Charger DC18RD	Y-00315
18V LXT Rapid Charger Kit (4.0Ah)	Includes: BL1840B 18V LXT Battery (4.0Ah) (196401-9) & Rapid Charger DC18RC	Y-00284
12V max CXT Li-Ion Charger Kit (4.0Ah x2)	Includes: BL1041B 12V max CXT Li-Ion Battery (4.0Ah x2) (197416-9) & Battery Charger DC10WB with Interlocking Plastic Case	191L73-7
Battery Charger Adapter ADP03	Refreshing Adapter for DC14SA, DC18RC and DC24SA for Makstar Batteries	193681-8
Battery Charger Adapter ADP04	Adapts DC18RC and DC18SE to charge pod style Batteries	193949-2
Battery Adapter BCV01	Adapts 36V (18Vx2) LXT tools to accept two 18V (3.0Ah) LXT Batteries. Belt / Shoulder Style.	195512-7
Battery Adapter BCV03	Adapts 36V (18Vx2) LXT tools to accept 18V (3.0Ah) or (4.0Ah) Batteries. Direct Connect Style.	196810-2
Battery Adapter BAP182	Belt and/or shoulder adapter for 36V (18Vx2) LXT tools	197578-3



T-04335

BATTERY CHARGER REFERENCE CHART

Charger Type	64V	XGT	LXT	Ni-MH	Ni-Cad	Voltage (V)	Description	Model No.	Part No.
Makstar Charger	-	-	Yes	Yes	Yes	7.2V - 24V	Adaptor ADP04 #193949-2 required to charge all Pod / Stick style Batteries	DC24SC	DC24SC
	-	Yes	Yes	-	-	40V max XGT	Adaptor ADP10 required to charge 18V LXT Slide Style Batteries	DC40RA	DC40RA
Rapid Charger	-	-	Yes	-	-	36V	-	DC36RA	DC36RA
	-	-	Yes	Yes	Yes	7.2V - 18V	Adaptor ADP04 #193949-2 required to charge all Pod / Stick Style Batteries	DC18RC	DC18RC
New Fast Charger	-	Yes	Yes	-	-	40V max XGT	Adaptor ADP10 required to charge 18V LXT Slide Style Batteries	DC40RC	DC40RC
	-	Yes	Yes	-	-	40V max XGT	Adaptor ADP10 required to charge 18V LXT Slide Style Batteries	DC40RB	DC40RB
Dual-Port Rapid Charger	-	-	Yes	Yes	Yes	7.2V - 18V	Adaptor ADP04 #193949-2 required to charge all Pod / Stick style Batteries	DC18RD	DC18RD
	-	-	Yes	-	-	12V - 18V	Only for Slide-On Type Batteries. Adaptors cannot be used with this charger.	DC18RE	DC18RE
4-Port Multi Charger	-	-	Yes	-	-	14.4V - 18V	-	DC18SF	DC18SF
Standard Charger	-	-	Yes	Yes	-	7.2V - 18V	Only for Slide-On Type Batteries. Adaptors cannot be used with this charger.	DC18SD	DC18SD
	Yes	-	-	-	-	64V	Only for 64V Batteries	DC64WA	DC64WA
Automotive Charger (plugs into 12V Automotive outlets)	-	-	Yes	Yes	Yes	7.2V - 18V	Adaptor ADP04 #193949-2 required to charge all Pod / Stick style Batteries	DC18SE	DC18SE
Standard Pod / Stick Charger	-	-	-	Yes	Yes	7.2V - 18V	-	DC1804	DC1804
Li-Ion Pod / Stick Charger	-	-	Yes	-	-	7.2V - 12V	-	DC10WB	DC10WB
	-	-	Yes	-	-	12V max CXT	-	DC10SB	DC10SB
	-	-	Yes	-	-	12V max CXT	-	DC10WD	DC10WD
Built-In Charger	-	-	-	-	Yes	7.2V	-	DC7020	113051-5

BATTERY AND CHARGER TIME REFERENCE CHART (MINUTES)

Voltage	Cell Type	Ah	Style	DC64WA	DC40RA	DC40RB	DC40RC	DC36RA	DC24SC	DC18RC	DC18RD	DC18RE	DC18WC	DC18SF	DC18SD	DC1804	DC18SE	DC10SB	DC10WD	DC10WB	DC07SA	Model No.	Part No.	
64V	Li-Ion	10.0	Slide-On	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BL64100*		
		4.0	Slide-On	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BL6440*	
40V max	Li-Ion	8.0	Slide-On	-	76	76	N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BL4080F*		
		5.0	Slide-On	-	50	50	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BL4050F*		
		4.0	Slide-On	-	45	45	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BL4040*		
		2.5	Slide-On	-	28	28	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BL4025*		
36V	LXT	2.6	Pod	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	BL3626	194874-0	
24V	Ni-MH	3.3	Slide-On	-	-	-	-	-	50	-	-	-	-	-	-	-	-	-	-	-	-	BH2433	193740-8	
		2.0	Slide-On	-	-	-	-	-	30	-	-	-	-	-	-	-	-	-	-	-	-	BH2420	193737-7	
18V	LXT	6.0	Slide-On	-	40	40	85	-	-	55	55	55	160	130	130	-	130	-	-	-	-	BL1860B*	197424-0	
		5.0	Slide-On	-	35	35	70	-	-	45	45	45	135	110	110	-	110	-	-	-	-	BL1850B*	196675-2	
		4.0	Slide-On	-	29	29	58	-	45	36	36	36	110	90	90	-	90	-	-	-	-	BL1840B*	196401-9	
		3.0	Slide-On	-	22	22	42	-	35	22	22	22	80	60	60	-	60	-	-	-	-	BL1830B*	194205-3	
		1.5	Slide-On	-	15	15	22	-	20	15	15	15	40	30	30	-	30	-	-	-	-	BL1815N	196235-0	
		3.0	Pod	-	-	-	-	-	40	70	-	70	-	-	-	70	100	-	-	-	-	-	1835	193140-2
14.4V	Li-Ion	3.0	Slide-On	-	-	-	-	-	30	22	22	22	-	60	60	-	60	-	-	-	-	BL1430B*	194066-1	
		Compact	Slide-On	-	-	-	-	-	20	15	15	15	-	30	30	-	30	-	-	-	-	BL1415NA*	196987-3	
	Ni-MH	3.0	Pod	-	-	-	-	-	40	70	-	70	-	-	-	70	100	-	-	-	-	1435	193139-7	
		2.6	Pod	-	-	-	-	-	35	60	-	60	-	-	-	60	85	-	-	-	-	1434	193158-3	
	Li-Ion	4.0	Slide-On	-	-	-	-	-	-	-	-	60	-	-	-	-	-	60	130	-	-	-	BL1041B*	197416-9
		2.0	Slide-On	-	-	-	-	-	-	-	-	30	-	-	-	-	30	70	-	-	-	-	BL1021B*	197414-3
1.5		Slide-On	-	-	-	-	-	-	-	-	22	-	-	-	-	22	50	-	-	-	-	BL1016*	197412-3**	
12V	Ni-MH	1.3	Pod	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	BL1014	195332-9	
		3.3	Slide-On	-	-	-	-	-	30	22	22	22	-	-	70	-	70	-	-	-	-	BH1233C	193930-3	
		2.6	Pod	-	-	-	-	-	35	60	60	60	-	-	60	*85	-	-	-	-	-	1234	193157-5	
10.8V	Li-Ion	2.0	Slide-On	-	-	-	-	-	20	15	15	15	-	-	40	-	40	-	-	-	-	BH1220C	193928-0	
		1.3	Pod	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	BL1013	195332-9	
9.6V	Ni-MH	3.3	Slide-On	-	-	-	-	-	30	30	30	30	-	-	70	-	70	-	-	-	-	BH9033A	193536-7	
		2.6	Pod	-	-	-	-	-	35	60	-	60	-	-	60	85	-	-	-	-	-	9134	193156-7	
7.2V	Li-Ion	2.0	Slide-On	-	-	-	-	-	20	20	20	20	-	-	40	-	40	-	-	-	-	BH9020A	193531-7	
		1.5	Stick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	35	-	BL0715	198001-1	

* Charge Level Indicator ** Available for Warranty replacement only

BATTERY QUICK REFERENCE CHART

Voltage	Cell Type	Ah	Style	Model No.	Part No.	Twin Pack Part No.	Bulk Pack Part No.
64V	Li-Ion	10.0	Slide-On	BL64100*	-	-	-
		4.0	Slide-On	BL6440*	-	-	-
40V max	Li-Ion	8.0	Slide-On	BL4080F*	-	BL4080F-2	-
		5.0	Slide-On	BL4050F*	-	-	-
		4.0	Slide-On	BL4040*	-	BL4040-2	-
		2.5	Slide-On	BL4025*	-	BL4025-2	-
36V	LXT	2.6	Slide-On	BL3626	194874-0	-	-
24V	Ni-MH	3.3	Slide-On	BH2433	193740-8	-	-
		2.0	Slide-On	BH2420	193737-7	-	-
		6.0	Slide-On	BL1860B*	197424-0	197429-0	-
18V	LXT	5.0	Slide-On	BL1850B*	196675-2	196681-7	197198-3 (10 pack)
		4.0	Slide-On	BL1840B*	196401-9	196406-9	196891-6 (10 pack)
		3.0	Slide-On	BL1830B*	194205-3	194230-4	-
	Ni-MH	1.5	Slide-On	BL1815N	196235-0	196851-8	196890-8 (10 pack)
		3.0	Pod	1835	193140-2	-	-
		2.6	Pod	1834	193159-1	-	-
14.4V	Li-Ion	3.0	Slide-On	BL1430B*	194066-1	194397-8	-
		Compact	Slide-On	BL1415NA*	196987-3	-	-
	Ni-MH	3.0	Pod	1435	193139-7	-	-
		2.6	Pod	1434	193158-3	-	-
12V	Li-Ion	4.0	Slide-On	BL1041B*	197416-9	-	-
		2.0	Slide-On	BL1021B*	197414-3	-	-
	Ni-MH	1.3	Pod	BL1014	195332-9	-	-
		3.3	Slide-On	BH1233C	193930-3	-	-
		2.6	Pod	1234	193157-5	-	-
10.8V	Li-Ion	2.0	Slide-On	BH1220C	193928-0	-	-
		1.3	Pod	BL1013	195332-9	-	-
9.6V	Ni-MH	3.3	Slide-On	BH9033A	193536-7	-	-
		2.6	Pod	9134	193156-7	-	-
7.2V	Li-Ion	2.0	Slide-On	BH9020A	193531-7	-	-
		1.5	Stick	BL7015	198001-1	-	-

* Charge Level Indicator

18V LXT BATTERY ADAPTER FOR XGT CHARGERS - ADP10



- Adapts 18V LXT Batteries to 40V max XGT Battery Charger DC40RA & DC40RB (batteries not included)
- Charges an 18V LXT 5.0Ah Battery in only 40 minutes
- XGT Rapid Charger's digital display indicates Battery charge level (charger not included)
- The digital communication within XGT protects against overload, over-discharge and overheating

DC40RA Charge Times:

- 18V LXT 6.0Ah BL1860B Battery in just 50 minutes
- 18V LXT 5.0Ah BL1850B Battery in just 40 minutes
- 18V LXT 4.0Ah BL1840B Battery in just 29 minutes
- 18V LXT 3.0Ah BL1830B Battery in just 22 minutes

36V (18Vx2) LXT BATTERY ADAPTER - 197578-3



- Belt and / or shoulder adapter for Makita 36V (18Vx2) LXT tools
- Belt slots enable operator to securely thread belt through adapter
- Optional shoulder strap available (part no. 166070-0)
- Dual LED charge level indicators display approximate remaining Battery power
- Heavy duty 5' power cord enables maximum reach
- For models: DHR263, DHR264, DHS711, DUB361, DUB362, DUH651, DUC302, DUR364

LXT BATTERY ACCESSORIES





Description	Features & Benefits / For Model(s) No.	Part No.
LXT Battery Protector	Shock Absorbing Frame for LXT Batteries BL1430, BL1830B, BL1840B, BL1850B	194649-7
LXT Battery Cover	Dust Protection Cover for LXT Batteries BL1021B, BL1041B	456128-6
	Dust Protection Cover for LXT Batteries BL1415, BL1430, BL1815N, BL1830B, BL1840B, BL1850B, BL1860B	450128-8
	Dust and Impact Protection TPU Softshell Case for LXT Batteries BL1830B, BL1840B, BL1850B, BL1860B. Protects work-piece from scuff marks from the Battery.	422807-8
	Dust Protection Cover for LXT Battery BL3626	451153-2

12V max CXT ADAPTER / AA BATTERY PACK - ADP09




- Adapts 8 AA Batteries to be used as a power source for compatible CXT Cordless Laser Levels (AA Batteries not included)
- Use 8 AA Batteries (zinc-carbon / alkaline / Ni-MH)
- Compatible ONLY with CXT Cordless Laser Levels: SK106GDZ, SK106DZ, SK105GDZ, SK105DZ

LXT POWER SOURCE ADAPTERS

Model	Description
	40V max XGT USB Power Adapter - ADP001G <ul style="list-style-type: none"> • Dual USB ports enable convenient charging of two mobile devices on the jobsite • Type A USB socket offers DC 5 V / 2.4 A maximum output • On / Off switch activates and deactivates USB output • Powered by all Makita 40V max XGT Li-Ion batteries • Compact size achieved by removing belt clip for increased concealability and portability
	18V LXT Power Source Adapter - ADP05 <ul style="list-style-type: none"> • Features 2 x USB ports to enable convenient charging of mobile devices on the jobsite • Belt clip allows power source adapter to be easily carried by user • Accepts Makita 18V LXT Compact, 3.0, 4.0 and 5.0Ah batteries • Max. 2.1A output per USB port (4.2A total)
	12V max CXT Power Source Adapter - ADP06 <ul style="list-style-type: none"> • USB port enables convenient charging of mobile devices on the jobsite • Type A USB socket offers DC 5 V / 2.1 A maximum output • On / Off switch activates and deactivates USB output • Powered by All Makita Slide 12V Li-Ion batteries • Integrated belt clip and carrying strap
	12V max CXT Power Source Adapter - ADP08 <ul style="list-style-type: none"> • USB port enables convenient charging of mobile devices on the jobsite • Type A USB socket offers DC 5 V / 2.1 A maximum output • On / Off switch activates and deactivates USB output • Powered by All Makita Slide 12V Li-Ion batteries • Compact version of ADP06 achieved by removing belt clip for increased concealability and portability



DISCOVER THE CONVENIENCE OF WIRELESS AUTO-START

CONNECT WITH BLUETOOTH  Bluetooth®

AUTO-START WIRELESS TRANSMITTER 198901-5 enables wireless connection of Makita AWS capable tools with compatible Dust Extractor / Vacuum



NEW
XGT 40V | 80V max
VC007G // PG. 24
80V (40Vx2) max XGT
Brushless Cordless
40.0 L Wet & Dry
Dust Extractor
w/XPT, AWS & HEPA



36V
DVC665 // PG. 18
36V (18Vx2) LXT
Brushless Cordless
6.0 L Backpack
Vacuum Cleaner
w/AWS & HEPA



XGT 40V | 80V max
VC009G // PG. 17
40V max XGT
Brushless Cordless
2.0 L Backpack
Vacuum Cleaner
w/AWS & HEPA



36V
DVC265 // PG. 18
36V (18Vx2) LXT
Brushless Cordless
2.0 L Backpack
Vacuum Cleaner
w/AWS & HEPA



XGT 40V | 80V max
VC004G // PG. 19
40V max XGT
Brushless Cordless
15.0 L Dry Only
Vacuum Cleaner
w/XPT, AWS & HEPA



36V
DVC157 // PG. 20
36V (18Vx2) LXT
Brushless Cordless
15.0 L Dry Only Quiet
Vacuum Cleaner
w/XPT, AWS & HEPA



36V
DVC867 // PG. 20
36V (18Vx2) LXT
Brushless Cordless
8.0 L Dry Only Quiet
Vacuum Cleaner
w/XPT, AWS & HEPA

WIRELESS DUST MANAGEMENT FOR MULTIPLE APPLICATIONS

AWS uses Bluetooth technology for wireless power-on and power-off communication between the equipped tool and dust extractor. Once connected via AWS, your dust extractor will automatically power on or off when your cordless tool starts or stops, running only when your cordless tool is in use.

ELIMINATES CORDS

Using our cordless LXT dust extractor with a cordless LXT tool means no more grounding issues, no re-plugging the cord, and reduced trip hazards.

INCREASES PRODUCTIVITY & CONVENIENCE

Intelligent Bluetooth communication using dust extractor only while tool is in use extends Battery run time of the dust extractor, increasing productivity on a single charge.

REDUCES EXCESSIVE NOISE

The AWS dust extractor / vacuum runs only while the AWS power tool is in use, reducing continuous noise at the job or work site.

AUTO-START WIRELESS SYSTEM TOOLS



HM002G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
26 Lbs Demolition Hammer
w/XPT, AVT & AWS



HM001G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
13 Lbs Demolition Hammer
w/XPT, AVT & AWS



HR006G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
2" Rotary Hammer
w/XPT, AFT, AVT & AWS



DHR400 **18V + 18V 36V**
36V (18Vx2) LXT Brushless Cordless
1-9/16" Rotary Hammer
w/XPT, AFT, AVT & AWS



HR005G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
1-9/16" Rotary Hammer
w/XPT, AFT, AVT & AWS



HR008G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
1-3/16" Rotary Hammer
w/XPT, AFT, AVT, AWS & HEPA



HR001G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
1-1/8" Rotary Hammer
w/XPT, AFT, AVT & AWS



HR007G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
1-1/8" Rotary Hammer
w/XPT, AFT, AVT & AWS



HR010G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
13/16" Compact Rotary Hammer
w/XPT, AVT, AWT, AWS & HEPA



DHR282 **18V + 18V 36V**
36V (18Vx2) LXT Brushless Cordless
1-1/8" Rotary Hammer
w/XPT, AFT, AVT & AWS



DHR182 **18V LITHIUM ION**
18V LXT Cordless
11/16" Rotary Hammer
w/AVT & AWS



LS003G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
12" Dual Compound Sliding
Mitre Saw w/AWS



LS004G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
10" Dual Compound Sliding
Mitre Saw w/AWS



LS002G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
8-1/2" Dual Compound Sliding
Mitre Saw w/AWS



12" DLS211 **10" DLS111** **18V + 18V 36V**
36V (18Vx2) LXT Brushless Cordless
Sliding Compound Mitre Saws
w/Laser, XPT, ADT & AWS



RS002G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
10-1/4" Rear-Handle Circular Saw
w/XPT & AWS



HS011G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
10-1/4" Circular Saw
w/Guide Rail Base, XPT, AFT & AWS



HS009G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
9-1/4" Circular Saw
w/Guide Rail Base, XPT & AWS



DHS900 **18V + 18V 36V**
36V (18Vx2) LXT Brushless Cordless
9-1/4" Circular Saw
w/XPT, ADT & AWS



HS003G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
7-1/4" Circular Saw
w/XPT, ADT & AWS



HS004G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
7-1/4" Circular Saw
w/Guide Rail Base, XPT, ADT & AWS



HS012G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
6-1/2" Circular Saw
w/XPT & AWS



DHS781 **18V + 18V 36V**
36V (18Vx2) LXT Brushless Cordless
7-1/4" Circular Saw
w/XPT, ADT & AWS



SP001G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
6-1/2" Plunge Cut Circular Saw
w/XPT & AWS



DSP601 **18V + 18V 36V**
36V (18Vx2) LXT Brushless Cordless
6-1/2" Plunge Cut Circular Saw
w/ADT & AWS



DCC500 **18V LITHIUM ION**
18V LXT Brushless Cordless
5" Masonry Saw
w/XPT, ADT & AWS



DSL801 **18V LITHIUM ION**
18V LXT Brushless Cordless
8-7/8" Drywall Pole Sander
w/XPT & AWS



DC0181 **18V LITHIUM ION**
18V LXT Brushless Cordless
Drywall Cut Out Tool
w/XPT & AWS



RT001G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
Compact Router w/XPT & AWS



KP001G **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
3-1/4" Planer w/XPT & AWS



DKP181 **18V LITHIUM ION**
18V LXT Brushless Cordless
3-1/4" Planer w/ADT & AWS



GA038 **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
9" Angle Grinder (Paddle Switch)
w/XPT, AFT & AWS



GA041G **GA044G** **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
5" X-Lock Angle Grinders
w/XPT, AFT & AWS
(GA044G with Paddle Switch)
(GA041G with Thumb Switch)



GA023G **GA029G** **XGT** 40V | 80V ...
40V max XGT Brushless Cordless
5" Angle Grinders
w/XPT, AFT & AWS
(GA029G with Paddle Switch)
(GA023G with Thumb Switch)



DGA514 **DGA518** **18V LITHIUM ION**
18V LXT Brushless Cordless
5" Angle Grinders
w/XPT, AFT, ADT & AWS
(DGA518 with Paddle Switch)
(DGA514 with Thumb Switch)

Tool Models		Tool Adapter	Front Cuff 22	Front Cuff 24	Front Cuff 38 195545-2	Joint 22-38 195548-6	Compatible Vacuum Cleaners
	40V max XGT 26 Lbs Demolition Hammer HM002G	Demolition		-		-	
	40V max XGT 13 Lbs Demolition Hammer HM001G	Demolition		-		-	
	40V max XGT 2" Rotary Hammer HR006G	Drilling			-	-	
		Demolition		-		-	
	40V max XGT 1-9/16" Rotary Hammer HR005G	Drilling			-	-	
		Demolition		-		-	
	36V (18Vx2) LXT 1-9/16" Rotary Hammer DHR400	Drilling			-	-	
		Demolition		-		-	
	40V max XGT 1-3/16" Rotary Hammer HR008G	Drilling			-	-	
	40V max XGT 1-1/8" Rotary Hammer HR001G	Drilling			-	-	
	40V max XGT 1-1/8" Rotary Hammer HR007G	Drilling			-	-	
	36V (18Vx2) LXT 1-1/8" Rotary Hammer DHR282	Drilling			-	-	
	New 40V max XGT 13/16 Compact Rotary Hammer HR010G	Drilling			-	-	
	18V LXT 11/16" Rotary Hammer DHR182	Drilling			-	-	
	40V max XGT Dual Compound Sliding Mitre Saws 12" LS003G / 10" LS004G / 8-1/2" LS002G	-	No Adapter Required			-	
	36V (18Vx2) LXT Sliding Compound Mitre Saws 12" DLS211 / 10" DLS111	-	No Adapter Required			-	
	40V max XGT 10-1/4" Rear-Handle Circular Saw RS002G	-	No Adapter Required	-	-		
	40V max XGT 10-1/4" Circular Saw HS011G	-	No Adapter Required	-	-		
	40V max XGT 9-1/4" Circular Saw HS009G	-	No Adapter Required	-	-		
	36V (18Vx2) LXT 9-1/4" Circular Saw DHS900	-	No Adapter Required			-	

AUTO-START WIRELESS SYSTEM TOOL ADAPTER REFERENCE CHART

Tool Models			Tool Adapter	Front Cuff 22	Front Cuff 24	Front Cuff 38 195545-2	Joint 22-38 195548-6	Compatible Vacuum Cleaners
	40V max XGT 7-1/4" Circular Saw HS003G	-	 196520-1 (SE)	 195547-8	 195546-0	-	-	
	40V max XGT 7-1/4" Circular Saw HS004G	-	 196520-1 (SE)	 195547-8	 195546-0	-	-	
	36V (18Vx2) LXT 7-1/4" Circular Saw DHS781	-	 196520-1 (SE)	 195547-8	 195546-0	-	-	
	New 40V max XGT 6-1/2" Circular Saw HS012G	-	 196952-2 (SE)	 195547-8	 195546-0	-	-	
	40V max XGT 6-1/2" Plunge Cut Circular Saw SP001G	-	No Adapter Required	 195547-8	 195546-0	-	-	 New VC007G
	36V (18Vx2) LXT 6-1/2" Plunge Cut Circular Saw DPS601	-	No Adapter Required	 195547-8	 195546-0	-	-	 DVC665
	18V LXT Drywall Cut Out Tool DCO181	-	 P-80010 (SE)	 195547-8	-	-	-	 DVC665
	New 18V LXT 8-7/8" Drywall Pole Sander DSL801	-	No Adapter Required	 195547-8	 195546-0	-	-	 VC009G
	40V max XGT Compact Router RT001G	-	 195559-1	-	-	 195545-2	-	 VC009G
	40V max XGT 3-1/4" Planer KP001G	-	No Adapter Required	-	-	 195545-2	-	 DVC265
	18V LXT 3-1/4" Planer DKP181	-	No Adapter Required	-	-	 195545-2	-	
	18V LXT 5" Masonry Saw DCC500	-	No Adapter Required	-	-	-	-	 VC004G
	40V max XGT 9" Angle Grinder (Paddle Switch) GA038G	Cutting	 198509-5	-	-	 195545-2	-	
	40V max XGT 5" X-Lock Angle Grinder (Thumb Switch) GA041G	Cutting	 191G05-4	-	-	 195545-2	-	 DVC157
	40V max XGT 5" X-Lock Angle Grinder (Paddle Switch) GA044G	Cutting	 191G05-4	-	-	 195545-2	-	
	40V max XGT 5" Angle Grinder (Thumb Switch) GA023G	Cutting Grinding	 191G06-2  191F81-2	-	-	 195545-2	-	 DVC867
	40V max XGT 5" Angle Grinder (Paddle Switch) GA029G	Cutting Grinding	 191G06-2  191F81-2	-	-	 195545-2	-	
	18V LXT 5" Angle Grinder (Thumb Switch) DGA514	Cutting Grinding	 196845-3  196575-6	-	-	 195545-2	-	
	18V LXT 5" Angle Grinder (Paddle Switch) DGA518	Cutting Grinding	 196845-3  196575-6	-	-	 195545-2	-	



CORDLESS BENEFITS

Cover more space in less time and increase productivity with Makita's wide range of Cordless Products



MOBILITY

Move without restriction from a cord. Onboard cleaning attachments are easy to maneuver to clean hard-to-reach places.



TIME-SAVINGS

Save time with instant starts, quick charge time and no cord coiling and uncoiling.



LOWER NOISE

Quieter than its corded counterpart, minimizing disruption.



ERGONOMICS

Designed for easy handling and transport.



TIME-SAVINGS

High quality Brushless motor and components means longer life and lower maintenance cost.



LONGER RUN TIME

Makita-built motor and batteries efficiently use energy to provide up to 60 minutes of run time. Two 6.0Ah LXT Batteries charge in less than 1 hour, allowing for minimal down time.

Makita's Leading Cordless Technology offers freedom from the cord for maximum convenience, access to hard-to-reach spaces, and completing jobs quickly and easily



COMMERCIAL CLEANING

UPRIGHT VACUUM

LXT



DVC560
has achieved a
bronze CRI seal
of approval

Approval test performed by the Carpet & Rug Institute (USA) to evaluate the performance of vacuum cleaners for carpet and rug

DVC560Z / DVC560PT2


36V (18Vx2) LXT 5.0 L Upright Vacuum Cleaner w/HEPA

Certified by the Carpet and Rug Institute (CRI); designed for commercial use

- Powerful BL Brushless Motor generates 67 CFM of suction power and 48" of water lift
- 3-speed power selection (high/medium/low) for efficient operation
- Up to 100 minutes of continuous run time on low setting
- Efficient two stage HEPA filter captures 99.97% of particulates .3 microns and larger
- Low noise level of 67 dB(A) on high setting and 57 dB(A) on low setting
- 12" cleaning path for efficiency
- 4 height adjustment levels for optimal cleaning on any floor type

DVC560Z Includes: Tool Only. Batteries and Charger Sold Separately. HEPA Filter (191E39-5), 1-1/8" x 2.3' Hose (140S37-0), 1-1/8" x 0.6' Hose (140S36-2), Filter Bag (191T96-3), Corner Nozzle (191D65-8), Round Brush (191D67-4), Brush (1910T8-6)

DVC560PT2 Also Includes: BL1850B 18V LXT Battery (5.0Ah x2) (196675-2), Dual Port Rapid Charger (DC18RD)



High Dust Pick-Up Rate
4 rows of V-shaped bristle increase dust pick-up rate

Suction power is even across the entire cleaning width due to the suction port located at the center



Two Different Brushless Motors
One for vacuuming dust and the other for rotating the brushroll

Two motors are separately controlled according to the selected suction mode

Battery Capacities

Two 18V LXT

Container Capacity	5.0 L
Continuous Use w/BL1850B	Approx. 25 minutes (Max)
Maximum Air Flow	67 CFM (1.9 m ³ /min)
Power:	85 W (Max) / 50 W (Normal) / 25 W (Low)
Static Water Lift	48.2" (122 cm)
Noise Level	70 dB(A)
Overall Length	11-3/4" (297 mm)
Net Weight	17 lbs (7.7 kg)


ROBOTIC VACUUMS

LXT



Connectible
to a Smartphone
with a dedicated
app installed for
smart cleaning

Cleaning history, such as cleaning date and time, percentage of completed cleaning area and more, can be displayed and saved



Cleaned Area



DRC300Z / DRC300PT2

18V LXT 3.0 L Smart Robotic Vacuum w/LiDAR & HEPA

Equipped with mapping function that enables the cleaner to automatically return to its initial position

- Obstacle detection with six ultrasonic sensors, one bumper sensor, and one LiDAR sensor (2D)
- Two navigation options: "mapping pattern navigation" for more efficient cleaning in less than half the time and "Free mode" for immediate cleaning without room registry
- HEPA filtration system is designed to capture micro-dust particulates
- Dedicated "Makita Robotic Cleaner DRC300" App for smart cleaning and instant reports*
- Easily accessible large 3.0 L dust box ensures ample capacity for commercial applications
- Automatic homing function enables the vacuum to return to its original cleaning position

DRC300Z Includes: Tool Only. Batteries and Charger Sold Separately. Remote Controller (620B53-1), Side Brushes (191P28-6), Main Brushes (191P22-8), HEPA Filter (191P31-7), Bottom Plate (191P24-4)

DRC300PT2 Also Includes: BL1850B 18V LXT Battery (5.0Ah x2) (196675-2), Dual Port Rapid Charger (DC18RD)

LiDAR Module (LiDAR Sensor)

Recognizing and mapping the two-dimensional shape of rooms using a rotating laser displacement gauge



RoboPRO

Vision Camera (Camera Sensor)

Recognizing and memorizing the shape of ceilings and walls, and connecting them with the self-location of the Robotic Cleaner to increase mapping precision

Battery Capacities

One 18V LXT Battery or

Two 18V LXT Batteries in parallel

Continuous Use w/BL1850B x2	Approx. 200 min
Maximum Cleaning Area w/BL1850B x2	5,382 sq.ft. (500 m ²)
Running Mode	Mapping / Free
Dust Box Capacity	3.0 L
Noise Level	62 dB(A)
Overall Length	19-3/4" (500 mm)
Net Weight	20.6 lbs (9.3 kg)

Makita's First INTELLIGENT

Brushless Robotic Cleaner w/LiDAR

* For instant reports connect your smartphone to your 18V LXT Brushless Cordless 3.0 L Smart Robotic Vacuum - DRC300 within close proximity.

* Cellular Data needs to be turned off while connecting with the robot depending on the model of your phone. So please press the Wi-Fi button on the DRC300 to disconnect the DRC300 after using the app and turn off cellular data when connecting.



DRC200Z

18V LXT 2.5 L Robotic Vacuum

Operates in Random or Pattern mode for maximum vacuuming efficiency

- Two dust collection modes suitable for a wide range of vacuuming applications: vacuum plus power brush, for small and large debris / power brush only, for large debris
- 19 sensors enable optimal vacuuming performance

DRC200Z Includes: Tool Only. Batteries and Charger Sold Separately. Wireless Remote Controller (SH00000238), Side Brushes (SH00000065), 50' Boundary Line Tape (SH00000240), Power Brush (SH00000063), Turn Brush Cover Protector (SH00000064), Filter (SH00000213)

Battery Capacities	One 18V LXT Battery or Two 18V LXT Batteries in parallel
Continuous Use w/BL1850B x2	Approx. 200 min
Maximum Cleaning Area w/BL1850B x2	5,382 sq.ft. (500 m ²)
Running Mode	Random / Pattern
Dust Box Capacity	2.5 L
Noise Level	64 dB(A)
Overall Length	18-1/8" (460 mm)
Net Weight	14.6 lbs (6.6 kg)

BACKPACK VACUUMS

XGT/LXT



NEW

VC011GZ

40V max XGT 6.0 L Backpack Vacuum Cleaner w/HEPA

Brushless motor delivers up to 84.75 CFM of suction power

- Dust bag with spring loaded rocker maintains suction power while reducing filter clogging
- HEPA filtration system captures 99.97% of particulates .3 microns and larger

VC011GZ Includes: Tool Only. Batteries and Charger Sold Separately. HEPA Filter (191D12-9), 1-1/4" X 3' Hose (199453-9), Hose Band (166116-2), Floor Nozzle (191G86-8), Corner Nozzle (198919-6), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Paper Filter Bag (191C26-2), Dust Bag (191C30-1), Backpack Shoulder Harness (162C94-2)

Battery Capacities	40V max XGT
Container Capacity:	Filter Bag 6.0 L / Dust Bag 5.5 L
Continuous Use w/BL4050F:	Approx. 40 minutes (Mode 4) / Approx. 75 minutes (Mode 3) / Approx. 130 minutes (Mode 2) / Approx. 260 minutes (Mode 1)
Maximum Air Flow	85 CFM (2.4 m ³ /min)
Power:	195 W (Mode 4) / 100 W (Mode 3) / 55 W (Mode 2) / 25 W (Mode 1)
Static Water Lift	80.4" (204 cm)
Noise Level	70 dB(A)
Overall Length	13-1/4" (336 mm)
Net Weight	16.8 lbs (7.6 kg)



VC009GZ02

40V max XGT 2.0 L Backpack Vacuum Cleaner w/AWS & HEPA

Powerful Brushless motor generates 67.1 CFM of suction power

- Two stage HEPA filtration system captures 99.97% of particulates .3 microns and larger

VC009GZ02 Includes: Tool Only. Batteries and Charger Sold Separately. Filter (191Y27-2), 1-1/8" X 5' Hose With Front Cuffs 22 And 38 (A-34235), Hose Band (166116-2), Paper Filter Bag (197903-8), Front Cuff 22 (195547-8), Front Cuff 24 (195546-0), Two Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5), Backpack Shoulder Harness (162B37-8), Harness Cover (191Y14-1)

Battery Capacities	40V max XGT
Container Capacity:	Filter Bag 2.0 L / Dust Bag 1.5 L
Continuous Use w/BL4050F:	Approx. 14 minutes (Mode 3) / Approx. 30 minutes (Mode 2) / Approx. 55 minutes (Mode 1)
Maximum Air Flow	67.1 CFM (1.9 m ³ /min)
Power:	165 W (Max) / 85 W (High) / 45 W (Low)
Static Water Lift	72.3" (183 cm)
Noise Level	72 dB(A)
Overall Length	9-1/8" (233 mm)
Net Weight	7.5 lbs (3.4 kg)



VC008GZ01 / VC008GT101

40V max XGT 2.0 L Backpack Vacuum Cleaner w/HEPA

Powered by 40V max XGT Battery for up to 110 min run time

- High power output up to 195 watts / 4 power modes

VC008GZ01 Includes: Tool Only. Batteries and Charger Sold Separately. Filter (191Y27-2), 1-1/4" X 3' Hose (199453-9), Hose Band (166116-2), Floor Nozzle (191G86-8), Corner Nozzle (198919-6), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Paper Filter Bag (197903-8), Dust Bag (197898-5), Backpack Shoulder Harness (162B36-0), Harness Cover (191Y14-1)

VC008GT101 Also Includes: BL4050F 40V max XGT Battery (5.0Ah) (BL4050F), Rapid Charger (DC40RA)

Battery Capacities	40V max XGT
Container Capacity:	Filter Bag: 2.0 L / Dust Bag: 1.5 L
Continuous Use w/BL4050F:	Approx. 14 min (Mode 4) / 30 min (Mode 3) / 55 min (Mode 2) / 110 min (Mode 1)
Maximum Air Flow	84.8 CFM (2.4 m ³ /min)
Power:	195W (Mode 4) / 100 W (Mode 3) / 55 W (Mode 2) / 25 W (Mode 1)
Static Water Lift	72.3" (183 cm)
Noise Level	72 dB(A)
Overall Length	9-1/8" (233 mm)
Net Weight	7.5 lbs (3.4 kg)



DVC660ZX / DVC660PT2

36V (18Vx2) LXT 6.0 L Backpack Vacuum Cleaner w/HEPA

A powerful and portable cleaning and dust extraction solution

- Efficient two stage HEPA filter captures 99.97% of particulates .3 microns and larger extending the life of the main filter

DVC660ZX Includes: Tool Only. Batteries and Charger Sold Separately. HEPA Filter (191D12-9), 1-1/4" X 3' Hose (199453-9), Hose Band (166116-2), Floor Nozzle (199454-7), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Round Brush (198878-4), Seat Nozzle (199038-1), Crevice Nozzle (199439-3), Paper Filter Bag (1 Ea. 191C26-2), Backpack Shoulder Harness (162700-1)

DVC660PT2 Also Includes: BL1850B 18V LXT Battery (5.0Ah x2) (196675-2), Dual Port Rapid Charger (DC18RD)

Battery Capacities	Two 18V LXT
Container Capacity	6.0 L
Continuous Use w/BL1850B	Approx. 33 minutes (Max)
Maximum Air Flow	77.7 CFM (2.2 m ³ /min)
Power:	95 W (Max) / 50 W (High) / 25 W (Low)
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	11-3/4" (297 mm)
Net Weight	12 lbs (5.4 kg)



36V BL MOTOR

DVC665ZX4U / DVC665TX4U

36V (18Vx2) LXT 6.0 L Backpack Vacuum Cleaner w/AWS & HEPA

AWS (Auto-Start Wireless System) uses Bluetooth technology to communicate between tool and vacuum and enable wireless control when used with Makita AWS cordless tools

DVC665ZX4U Includes: Tool Only. Batteries and Charger Sold Separately. HEPA Filter (191D12-9), 1-1/8" X 5' Hose With Front Cuff 38 Hose With Front Cuffs (152992-0), Hose Band (166116-2), Paper Filter Bag (1 Ea.191C26-2), Front Cuff 22 (195547-8), Front Cuff 24 (195546-0), Backpack Shoulder Harness (162750-6), Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5)

DVC665TX4U Also Includes: BL1850B 18V LXT Battery (5.0Ah x2) (196675-2), Dual Port Rapid Charger (DC18RD)

Battery Capacities	Two 18V LXT
Container Capacity	6.0 L
Continuous Use w/BL1850B	Approx. 33 minutes (Max)
Maximum Air Flow	63.6 CFM (1.8 m ³ /min)
Power:	85 W (High) / 45 W (Low)
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	11-3/4" (297 mm)
Net Weight	12 lbs (5.4 kg)



36V BL MOTOR

DVC261ZX11 / DVC261TX11

36V (18Vx2) LXT 2.0 L Backpack Vacuum Cleaner w/HEPA

Powerful and portable cleaning and dust extraction solution

- Two stage HEPA filtration system captures large, small and micro dust particulates and is certified to 99.99% efficiency (0.01% permeability) at 0.3 - 0.5 microns (µm)

DVC261ZX11 Includes: Tool Only. Batteries and Charger Sold Separately. HEPA Filter (127725-2), 1-1/8" X 3' Hose (143787-2), Hose Band (166116-2), Flexible Rubber Nozzle (197901-2), Floor Nozzle (127082-8), Telescopic Pipe (140G19-0), Bent Pipe (127093-3), Paper Filter Bag (1 Ea. 197903-8), Backpack Shoulder Harness (162469-7)

DVC261TX11 Also Includes: BL1850B 18V LXT Battery (5.0Ah x2) (196675-2), Dual Port Rapid Charger (DC18RD)

Battery Capacities	Two 18V LXT
Container Capacity	2.0 L
Continuous Use w/BL1860B	Approx. 40 minutes (Max)
Maximum Air Flow	71 CFM
Power:	90 W (Max) / 45 W (High) / 25 W (Low)
Static Water Lift	44.2" (112 cm)
Noise Level	69 dB(A)
Overall Length	9" (230 mm)
Net Weight	7.0 lbs (3.1 kg)



36V BL MOTOR

DVC265ZXU

36V (18Vx2) LXT 2.0 L Backpack Vacuum Cleaner w/AWS & HEPA

AWS (Auto-Start Wireless System) uses Bluetooth technology to communicate between tool and vacuum and enable wireless control when used with Makita AWS cordless tools

- Two stage HEPA filtration system captures large, small and micro dust particulates and is certified to 99.99% efficiency (0.01% permeability) at 0.3 - 0.5 microns (µm)

DVC265ZXU Includes: Tool Only. Batteries and Charger Sold Separately. HEPA Filter (127725-2), 1-1/8" X 5' Hose With Front Cuff 38 (152992-0), Hose Band (166116-2), Paper Filter Bag (1 Ea. 197903-8), Front Cuff 22 (195547-8), Front Cuff 24 (424379-9), Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5), Backpack Shoulder Harness (162469-7)

Battery Capacities	Two 18V LXT
Container Capacity	2.0 L
Continuous Use w/BL1860B	Approx. 40 minutes (Max)
Maximum Air Flow	64 CFM
Power:	85 W (High) / 45 W (Low)
Static Water Lift	44.2" (112 cm)
Noise Level	69 dB(A)
Overall Length	9" (230 mm)
Net Weight	7.1 lbs (3.2 kg)

PORTABLE VACUUMS

LXT/CXT



18V BL MOTOR

DVC750LZ / DVC750LRT

18V LXT 7.5 L Portable Wet & Dry Vacuum Cleaner w/XPT & HEPA

Operates on DC (18V LXT) power source for maximum jobsite efficiency and versatility / L class Vacuum Cleaner suitable for wet and dry applications

- Compact and portable design; weighs only 10.2 lbs

DVC750LZ Includes: Tool Only. Battery and Charger Sold Separately. HEPA Filter (162518-0), 1-1/8" x 6-1/2' Hose (140G04-3), Wide Nozzle (458891-7), Sash Nozzle (458919-1)

DVC750LRT Also Includes: BL1850B 18V LXT Battery (5.0Ah) (196675-2), Rapid Charger (DC18RC)

Battery Capacities	18V LXT
Container Capacity	7.5 L (Dry) / 4.5 L (Wet)
Continuous Use w/BL1850B	Approx. 30 minutes (High) Approx. 60 minutes (Low)
Maximum Air Flow:	57 CFM (High) / 46 CFM (Low)
Power:	50 W (High) / 25 W (Low)
Static Water Lift:	26.9" (680 mm) (High) 16.9" (430 mm) (Low)
Noise Level	76 dB(A)
Overall Length	16-1/2" (418 mm)
Net Weight	8.8 lbs (4.0 kg)



18V BL MOTOR

DCL184Z

18V LXT 500 ml Vacuum Cleaner

18V LXT cordless 3-speed cleaner

- Vehicle detail cleaner
- Easy-to-use and various tip attachments (standard accessories)
- Tool / Battery protection indication light
- Push button air volume selection (normal / high / max)

DCL184Z Includes: Tool Only. Batteries and Charger Sold Separately. 1-1/2" x 9-5/6" Hose (140H92-6), Seat Nozzle (140H95-0), Soft Brush (140H94-2), Blower Nozzle (140J64-3), Rubber Nozzle (422437-5), Mat Nozzle (459056-4), Shoulder Harness (162544-9), Paper Filter (5 / Pk) (1 Ea. 194566-1), Dust Bag (198746-1)

Battery Capacities	18V LXT
Container Capacity	500 ml (Dust Bag)
Continuous Use w/BL1850B	Approx. 33 minutes (Max)
Maximum Air Flow	49 CFM
Power:	38 W (Max) / 23 W (High) / 5 W (Low)
Static Water Lift	21.7" (550 mm)
Noise Level	68 dB(A)
Overall Length	14-3/8" (365 mm)
Net Weight	3.4 lbs (1.5 kg)

CANNISTER VACUUMS

XGT/LXT/AC



XGT 40V | 80V max BL MOTOR

VC004GLZ02

40V max XGT 15.0 L Dry Only Vacuum Cleaner w/XPT, AWS & HEPA

Powered by two 40V max XGT batteries. Automatically switches to the second Battery when the first Battery runs out.

- 15 L (4.0 Gal) large tank capacity enables continuous cleaning

VC004GLZ02 Includes: Tool Only. Batteries and Charger Sold Separately. 1-1/8" x 11-1/2" Hose With Front Cuffs 22, 24 And 38 (195433-3), Front Cuff 22 (195547-8), Front Cuff 24 (195546-0), Poly Bag (10 / Pk) (195432-5), HEPA Filter (191V70-3), Damper (191V68-0), Pre-filter (191V69-8), Two Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5), Multi-Hook (413B37-4)

Battery Capacities	40V max XGT
Container Capacity	15.0 L
Continuous Use w/BL4050F:	
Dial 1: 220 Minutes / Dial 5: 28 Minutes	
Maximum Air Flow:	95.35 CFM - Hose End 148 CFM - Turbine End
Hose Diameter	1-1/2" Exterior (Outer Hose Diameter)
Power	205 W
Static Water Lift	92.4" (234 cm)
Overall Length	14-3/8" (366 mm)
Net Weight	17.5 lbs (7.9 kg)



XGT 40V | 80V max BL MOTOR

VC005GLZ01 / *New* VC005GLM11

40V max XGT 8.0 L Dry Only Vacuum Cleaner w/XPT

Powered by two 40V max XGT batteries. Automatically switches to the second Battery when the first Battery runs out.

- 8 L large tank capacity enables continuous cleaning
- Variable suction power control dial allows for a wide range of applications from 'high power' to 'quiet' cleaning

VC005GLZ01 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (199454-7), 1-1/4" X 5-1/2" Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198919-6), Cloth Filter (191V71-1), Multi-Hook (413B37-4)

VC005GLM11 Also Includes: BL4040 40V max XGT Battery (5.0Ah) (BL4040), Rapid Charger (DC40RA), 23" Tool Bag (831284-7)

Battery Capacities	40V max XGT
Container Capacity	8 L
Continuous Use w/BL4050F:	
Dial 1: 220 minutes / Dial 5: 28 minutes	
Maximum Air Flow	95.35 CFM
Power	265 W
Static Water Lift	92.4" (234 cm)
Overall Length	14-3/8" (366 mm)
Net Weight	15.9 lbs (7.2 kg)



XGT 40V | 80V max BL MOTOR

VC001GLZ / *New* VC001GLM11

40V max XGT 8.0 L Wet & Dry Vacuum Cleaner w/XPT

Powered by two 40V max XGT batteries. Automatically switches to the second Battery when the first Battery runs out.

- 8 L large tank capacity enables continuous cleaning
- Variable suction power control dial allows for a wide range of applications from 'high power' to 'quiet' cleaning

VC001GLZ Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (191G86-8), 1-1/4" X 5-1/2" Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198919-6), Cloth Filter (144625-1), Multi-Hook (413B37-4)

VC001GLM11 Also Includes: BL4040 40V max XGT Battery (5.0Ah) (BL4040), Rapid Charger (DC40RA)

Battery Capacities	40V max XGT
Container Capacity	8 L (Dry) / 6 L (Wet)
Continuous Use w/BL4050F:	
Dial 1: 220 minutes / Dial 5: 28 minutes	
Maximum Air Flow	99 CFM
Power	265 W
Static Water Lift	92.4" (234 cm)
Overall Length	14-3/8" (366 mm)
Net Weight	16.4 lbs (7.4 kg)



NEW 36V

DVC151LZ

36V (18Vx2) LXT 15.0 L LXT & AC Dry Only Vacuum Cleaner w/HEPA

Operates with AC 120V or DC 36V (18Vx2) LXT power sources for maximum jobsite efficiency and versatility

- HEPA filter certified to 99.99% efficiency (0.01% permeability at 0.3 - 0.5 microns (µm))

DVC151LZ Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (122512-4), 1-1/2" x 11-1/2" Hose (195434-1), 1-1/8" x 11-1/2" Hose With Front Cuffs 22, 24 And 38 (195433-3), Poly Bag (10 / Pk) (195432-5), 22" Straight Pipe (192563-1), 22" Bending Pipe (192562-3), 12" Corner Nozzle (410306-2), HEPA Filter (191666-6), Damper (195552-5), Prefilter (195553-3), Accessory Tool Box (455732-8)

Battery Capacities	Two 18V LXT / AC
Container Capacity	15.0 L (Dry)
Continuous Use w/BL1850B x2	Approx. 30 - 65 minutes
Maximum Air Flow	74 CFM on DC power
Power	70 - 25 W on DC power
Static Water Lift	36.2" (919 mm) on DC power
Noise Level:	DC 64 dB(A) / AC 75 dB(A)
AMPS (120V)	9.2 A
Power Cord Length	16.4 ft (5.0 m)
Overall Length	14-3/8" (366 mm)
Net Weight	19.9 lbs (9.0 kg)



DVC155LZX2

36V (18Vx2) LXT 15.0 L Wet & Dry Quiet Vacuum Cleaner w/XPT

Operates on DC 36V (18Vx2) LXT power source for maximum jobsite efficiency and versatility

L class Vacuum Cleaner for wet and dry applications

- Increased suction power
- Improved low noise level
- Telescopic pipe with lock

DVC155LZX2 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (191G86-8), 1-1/4" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198918-8), Cloth Filter (140248-3), Accessory Tool Box (127607-8)

Battery Capacities	Two 18V LXT
Container Capacity	15.0 L (Dry) / 12.0 L (Wet)
Continuous Use w/BL1850B x2	Approx. 33 minutes
Maximum Air Flow	74 CFM
Power	105 W
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	14-3/8" (366 mm)
Net Weight	14.6 lbs (6.6 kg)



DVC156LZX1

36V (18Vx2) LXT 15.0 L Dry Only Quiet Vacuum Cleaner w/XPT

Operates on DC 36V (18Vx2) LXT power source for maximum jobsite efficiency and versatility

Suitable for dry applications only

- Increased suction power
- Improved low noise level
- Telescopic pipe with lock

DVC156LZX1 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (199454-7), 1-2/8" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198918-8), Cloth Filter (191G88-4), Accessory Tool Box (127622-2)

Battery Capacities	Two 18V LXT
Container Capacity	15.0 L (Dry)
Continuous Use w/BL1850B x2	Approx. 33 minutes
Maximum Air Flow	74 CFM
Power	105 W
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	14-3/8" (366 mm)
Net Weight	14.6 lbs (6.6 kg)



DVC157LZX1

36V (18Vx2) LXT 15.0 L Dry Only Quiet Vacuum Cleaner w/XPT, AWS & HEPA

Auto-Start Wireless System (AWS): Wireless connection to the power-tool via Bluetooth. Enables power take-off of the dust extractor when using a cordless power-tool

Suitable for dry applications only

- Equipped with 3 stage HEPA filtration system

DVC157LZX1 Includes: Tool Only. Batteries and Charger Sold Separately. 1-1/8" x 11-1/2" Hose With Front Cuffs 22, 24 And 38 (195433-3), Poly Bag (10 / Pk) (195432-5), HEPA Filter (197166-6), Damper (195552-5), Pre-filter (195553-3), Accessory Tool Box (127607-8), Two Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5)

Battery Capacities	Two 18V LXT
Container Capacity	15.0 L (Dry)
Continuous Use w/BL1850B x2	Approx. 33 minutes
Maximum Air Flow	49 CFM
Hose Diameter	1-1/2" Exterior / 1" to 1-1/8" Interior
Power	80 W
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	14-3/8" (366 mm)
Net Weight	16.1 lbs (7.3 kg)



DVC865LZX2

36V (18Vx2) LXT 8.0 L Wet & Dry Quiet Vacuum Cleaner w/XPT

Operates on DC 36V (18Vx2) LXT power source for maximum jobsite efficiency and versatility

L class Vacuum Cleaner for wet and dry applications

- Increased suction power
- Improved low noise level
- Telescopic pipe with lock

DVC865LZX2 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (191G86-8), 1-1/4" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198919-6), Cloth Filter (140248-3), Accessory Tool Box (127606-0)

Battery Capacities	Two 18V LXT
Container Capacity	8.0 L (Dry) / 6.0 L (Wet)
Continuous Use w/BL1850B x2	Approx. 33 minutes
Maximum Air Flow	74 CFM
Power	105 W
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	14-3/8" (366 mm)
Net Weight	14.2 lbs (6.4 kg)



DVC866LZX1

36V (18Vx2) LXT 8.0 L Dry Only Quiet Vacuum Cleaner w/XPT

Operates on DC 36V (18Vx2) LXT power source for maximum jobsite efficiency and versatility

Suitable for dry applications only

- Increased suction power
- Improved low noise level
- Telescopic pipe with lock

DVC866LZX1 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (199454-7), 1-1/4" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198919-6), Cloth Filter (191G88-4), Accessory Tool Box (127621-4)

Battery Capacities	Two 18V LXT
Container Capacity	8.0 L (Dry)
Continuous Use w/BL1850B x2	Approx. 33 minutes
Maximum Air Flow	74 CFM
Power	105 W
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	14-3/8" (366 mm)
Net Weight	14.2 lbs (6.4 kg)



DVC867LZX2

36V (18Vx2) LXT 8.0 L Dry Only Quiet Vacuum Cleaner w/XPT, AWS & HEPA

Auto-Start Wireless System (AWS): Wireless connection to the power-tool via Bluetooth. Enables power take-off of the dust extractor when using a cordless power-tool

Suitable for dry applications only

- Equipped with 3 stage HEPA filtration system

DVC867LZX2 Includes: Tool Only. Batteries and Charger Sold Separately. 1-1/8" x 11-1/2" Hose With Front Cuffs 22, 24 And 38 (195433-3), Poly Bag (10 / Pk) (195432-5), HEPA Filter (197166-6), Damper (195552-5), Pre-filter (195553-3), Accessory Tool Box (127606-0), Two Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5)

Battery Capacities	Two 18V LXT
Container Capacity	8.0 L (Dry)
Continuous Use w/BL1850B x2	Approx. 33 minutes
Maximum Air Flow	49 CFM
Hose Diameter	1-1/2" Exterior / 1" to 1-1/8" Interior
Power	80 W
Static Water Lift	44.2" (112 cm)
Noise Level	70 dB(A)
Overall Length	14-3/8" (366 mm)
Net Weight	15.7 lbs (7.1 kg)

STICK VACUUMS

XGT/LXT/CXT



XGT 40V | 80V max BL MOTOR

CL001GZ01 / CL001GD106

40V max XGT 730 ml Stick Vacuum Cleaner (Teal)

Powerful, lightweight, and compact Vacuum Cleaner

CL001GZ01 Includes: Tool Only, Batteries and Charger Sold Separately. Floor Nozzle (127827-4), Sash Nozzle (413859-0), Sash Nozzle Holder (459355-4), Pipe (459356-2), High Efficiency Filter (199966-0)

CL001GD106 Also Includes: BL4025 40V max XGT Battery (2.5Ah) (BL4025), Rapid Charger (DC40RA)

Battery Capacities	40V max XGT
Container Capacity	730 ml
Continuous Use w/BL4025:	
1 (Quiet Mode)	Approx. 80 min
2 (Normal Speed Mode)	Approx. 40 min
3 (High Speed Mode)	Approx. 25 min
4 (Max Speed Mode)	Approx. 16 min
Maximum Air Flow	42 CFM
Power: 1 (Quiet Mode) 25 W / 2 (Normal Speed Mode) 45 W	
3 (High Speed Mode) 70 W / 4 (Max Speed Mode) 125 W	
Static Water Lift	84.4" (214 cm)
Noise Level	(unavailable)
Overall Length	42" (106 cm)
Net Weight	2.3 lbs (1.0 kg)



XGT 40V | 80V max BL MOTOR

CL001GZ04

40V max XGT 730 ml Stick Vacuum Cleaner (Black)

Powerful, lightweight, and compact Vacuum Cleaner

- 4-speed power selection (max / high / medium / quiet) for efficient operation

CL001GZ04 Includes: Tool Only, Batteries and Charger Sold Separately. Floor Nozzle (127828-2), Sash Nozzle (413809-5), Sash Nozzle Holder (459038-6), Pipe (458942-6), High Efficiency Filter (199966-0)

Battery Capacities	40V max XGT
Container Capacity	730 ml
Continuous Use w/BL4025:	
1 (Quiet Mode)	Approx. 80 min
2 (Normal Speed Mode)	Approx. 40 min
3 (High Speed Mode)	Approx. 25 min
4 (Max Speed Mode)	Approx. 16 min
Maximum Air Flow	42 CFM
Power: 1 (Quiet Mode) 25 W / 2 (Normal Speed Mode) 45 W	
3 (High Speed Mode) 70 W / 4 (Max Speed Mode) 125 W	
Static Water Lift	84.4" (214 cm)
Noise Level	(unavailable)
Overall Length	42" (106 cm)
Net Weight	2.3 lbs (1.0 kg)



XGT 40V | 80V max BL MOTOR

CL003GZ / CL003GA101

40V max XGT 250 ml Cyclone Stick Vacuum Cleaner (Teal)

New cyclone unit integrated onto the cleaner's main body

CL003GZ Includes: Tool Only, Batteries and Charger Sold Separately. Floor Nozzle (127827-4), Sash Nozzle (413859-0), Pipe (459356-2), Sash Nozzle Holder (459355-4), High Efficiency Filter (1910C7-9), Sponge Filter (422908-2), Pre-filter (413H29-9), Strap (163400-6)

CL003GA101 Also Includes: BL4020 40V max XGT Battery (2.0Ah) (BL4020), Fast Charger (DC40RC)

Battery Capacities	40V max XGT
Container Capacity	250 ml
Continuous Use w/BL4025:	
1 (Quiet Mode)	Approx. 80 min
2 (Normal Speed Mode)	Approx. 40 min
3 (High Speed Mode)	Approx. 25 min
4 (Max Speed Mode)	Approx. 16 min
Maximum Air Flow	35 CFM
Power: 1 (Quiet Mode) 15 W / 2 (Normal Speed Mode) 35 W	
3 (High Speed Mode) 60 W / 4 (Max Speed Mode) 100 W	
Static Water Lift	80.4" (204 cm)
Noise Level	(unavailable)
Overall Length	43-1/2" (110.6 cm)
Net Weight	4.2 lbs (1.9 kg)



XGT 40V | 80V max BL MOTOR

CL003GZ04

40V max XGT 250 ml Cyclone Stick Vacuum Cleaner (Black)

Increased compactness achieved by a new cyclone unit integrated onto the cleaner's main body

CL003GZ04 Includes: Tool Only, Batteries and Charger Sold Separately. Floor Nozzle (127828-2), Sash Nozzle (413809-5), Pipe (458942-6), Sash Nozzle Holder (459038-6), High Efficiency Filter (1910C7-9), Sponge Filter (422908-2), Pre-filter (413H29-9), Strap (163400-6)

Battery Capacities	40V max XGT
Container Capacity	250 ml
Continuous Use w/BL4025:	
1 (Quiet Mode)	Approx. 80 min
2 (Normal Speed Mode)	Approx. 40 min
3 (High Speed Mode)	Approx. 25 min
4 (Max Speed Mode)	Approx. 16 min
Maximum Air Flow	35 CFM
Power: 1 (Quiet Mode) 15 W / 2 (Normal Speed Mode) 35 W	
3 (High Speed Mode) 60 W / 4 (Max Speed Mode) 100 W	
Static Water Lift	80.4" (204 cm)
Noise Level	(unavailable)
Overall Length	43-1/2" (110.6 cm)
Net Weight	4.2 lbs (1.9 kg)



18V LXT MOTOR
DCL280FZ

18V LXT 750 ml Stick Vacuum Cleaner (Teal)

Lightweight and portable Vacuum Cleaner for professional use, office or home use

Trigger switch + sliding lock-on switch

- Enhanced motor durability equipped with BL motor and improved dust-resistant performance
- Pipe is fixed by the locking mechanism to prevent it from accidentally coming off

DCL280FZ Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (127827-4), Sash Nozzle (451243-1), Pipe (459356-2), Sash Nozzle Holder (459355-4), High Efficiency Filter (199966-0)

Battery Capacities	18V LXT
Container Capacity	750 ml
Continuous Use w/BL1850B	Approx. 17 minutes
Maximum Air Flow	49 CFM
Power	40 W
Static Water Lift	25.7" (650 mm)
Noise Level	70 dB(A)
Overall Length	40" (101.6 cm)
Net Weight	2.0 lbs (0.9 kg)



18V LXT MOTOR
DCL283FZX1 / DCL283FFX1

18V LXT 730 ml Stick Vacuum Cleaner (Teal)

Powerful, lightweight, and compact Vacuum Cleaner

- On / Off trigger with lock on function for operator convenience
- 730 ml capsule container for high dust collection efficiency

DCL283FZX1 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (127827-4), Sash Nozzle (413859-0), Pipe (459356-2), Sash Nozzle Holder (459355-4), High Efficiency Filter (199966-0), Strap (163400-6)

DCL283FFX1 Also Includes: BL1830B 18V LXT Battery (3.0Ah) (194205-3), Rapid Charger (DC18RC)

Battery Capacities	18V LXT
Container Capacity	730 ml
Continuous Use w/BL1830B	Approx. 10 minutes
Maximum Air Flow	39 CFM
Power	90 W
Static Water Lift	70.3" (178 cm)
Noise Level	(unavailable)
Overall Length	42" (106.6 cm)
Net Weight	2.3 lbs (1.0 kg)



18V LXT MOTOR
DCL284FZX1

18V LXT 730 ml Stick Vacuum Cleaner (Teal)

Powerful, lightweight, and compact Vacuum Cleaner

- More suction power with 42 CFM and 72.3" static water lift
- Bagless cloth filtration system allows easier cleaning and quicker debris disposal
- High efficiency filter for effective cleaning. Made of high quality, long-lasting material.

DCL284FZX1 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (127827-4), Sash Nozzle (413859-0), Pipe (459356-2), Sash Nozzle Holder (459355-4), High Efficiency Filter (199966-0), Strap (163400-6)

NEW

Battery Capacities	18V LXT
Container Capacity	730 ml
Continuous Use w/BL1830B:	Approx. 15 minutes (Max) / Approx. 21 minutes (High) / Approx. 38 minutes (Low)
Maximum Air Flow	42 CFM
Power:	(Max) 70 W / (High) 45 W / (Low) 20 W
Static Water Lift	72.3" (183 cm)
Noise Level	(unavailable)
Overall Length	42" (106.6 cm)
Net Weight	2.3 lbs (1.0 kg)



18V LXT MOTOR
DCL180ZX / DCL180SFX2

18V LXT 650 ml Stick Vacuum Cleaner (Teal)

Lightweight and portable Vacuum Cleaner for professional use, office or home use

- Easy to empty see-through dust canister minimizes downtime and maximizes vacuuming efficiency
- High Performance Filter

DCL180ZX Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (123488-8), Sash Nozzle (451243-1), Pipe (451244-9), Sash Nozzle Holder (451245-7), High Efficiency Filter (198752-6)

DCL180SFX2 Also Includes: BL1830B 18V LXT Battery (3.0Ah) (194205-3), Standard Charger (DC18SD)

Battery Capacities	18V LXT
Container Capacity	650 ml
Continuous Use w/BL1850B	Approx. 33 minutes
Maximum Air Flow	46 CFM
Power	30 W
Static Water Lift	14.5" (370 mm)
Noise Level	71 dB(A)
Overall Length	39-5/16" (999 mm)
Net Weight	1.4 lbs (0.6 kg)



18V LXT MOTOR
DCL180FX2B

18V LXT 650 ml Stick Vacuum Cleaner w/Cyclone (Black)

Minimal downtime and maximized vacuuming efficiency with Makita's Cyclone Dust Attachment and high-performance motor

- Powerful motor delivers up to 46 CFM for faster and high-performance filter for more efficient cleaning
- Easy to empty see-through dust canister minimizes downtime and maximizes vacuuming efficiency

DCL180FX2B Includes: BL1830B 18V LXT Battery (3.0Ah) (194205-3), Standard Charger (DC18SD), Floor Nozzle (123539-7), Sash Nozzle (456586-6), Pipe (456587-4), Sash Nozzle Holder (456585-8), High Efficiency Filter (198752-6), Cyclone Attachment (199553-5), Wall Mount Holder (199971-7)

Battery Capacities	18V LXT
Container Capacity	650 ml
Continuous Use w/BL1850B	Approx. 33 minutes
Maximum Air Flow	46 CFM
Power	30 W
Static Water Lift	14.5" (370 mm)
Noise Level	71 dB(A)
Overall Length	39-5/16" (999 mm)
Net Weight	1.4 lbs (0.6 kg)



18V LXT MOTOR
DCL180ZB / DCL180RFB

18V LXT 650 ml Stick Vacuum Cleaner (Black)

Lightweight and portable Vacuum Cleaner for professional use, office or home use

- Powerful motor delivers up to 46 CFM for faster and high-performance filter for more efficient cleaning
- Easy to empty see-through dust canister minimizes downtime and maximizes vacuuming efficiency

DCL180ZB Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (123539-7), Sash Nozzle (456586-6), Pipe (456587-4), Sash Nozzle Holder (456585-8), High Efficiency Filter (198752-6)

DCL180RFB Also Includes: BL1830B 18V LXT Battery (3.0Ah) (194205-3), Rapid Charger (DC18RC)

Battery Capacities	18V LXT
Container Capacity	650 ml
Continuous Use w/BL1850B	Approx. 33 minutes
Maximum Air Flow	46 CFM
Power	30 W
Static Water Lift	14.5" (370 mm)
Noise Level	71 dB(A)
Overall Length	39-5/16" (999 mm)
Net Weight	1.4 lbs (0.6 kg)



DCL181FZX

18V LXT 650 ml Stick Vacuum Cleaner (Teal)

Lightweight and portable Vacuum Cleaner for professional use, office or home use / 2 speed

- Easy to empty dust canister minimizes downtime and maximizes vacuuming efficiency
- High Performance Filter
- On board sash nozzle storage

DCL181FZX Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (123488-8), Sash Nozzle (451243-1), Pipe (451244-9), Sash Nozzle Holder (451245-7), High Efficiency Filter (198752-6)

Battery Capacities	18V LXT
Container Capacity	650 ml
Continuous Use w/BL1850B	Approx. 33 minutes
Maximum Air Flow	49 CFM
Power:	(High) 30 W / (Low) 11 W
Static Water Lift	17" (430 mm)
Noise Level:	(High) 72 dB(A) / (Low) 61 dB(A)
Overall Length	39-5/16" (999 mm)
Net Weight	1.8 lbs (0.8 kg)



DCL181FZXW

18V LXT 650 ml Stick Vacuum Cleaner (White)

Lightweight and portable Vacuum Cleaner for professional use, office or home use / 2 speed

- Easy to empty dust canister minimizes downtime and maximizes vacuuming efficiency
- High Performance Filter
- On board sash nozzle storage

DCL181FZXW Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (123486-2), Sash Nozzle (451240-7), Pipe (451241-5), Sash Nozzle Holder (451242-3), High Efficiency Filter (198752-6)

Battery Capacities	18V LXT
Container Capacity	650 ml
Continuous Use w/BL1850B	Approx. 33 minutes
Maximum Air Flow	49 CFM
Power:	(High) 30 W / (Low) 11 W
Static Water Lift	17" (430 mm)
Noise Level:	(High) 72 dB(A) / (Low) 61 dB(A)
Overall Length	39-5/16" (999 mm)
Net Weight	1.8 lbs (0.8 kg)



NEW

DCL286FZ / DCL286FRF

18V LXT 250 ml Cyclone Stick Vacuum Cleaner (Teal)

Powerful, lightweight, and compact Vacuum Cleaner with cyclone attachment for domestic and professional use

- Efficient cleaning with 35 CFM airflow, 72.3" water lift
- DCL286FZ Includes:** Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (127827-4), Sash Nozzle (413859-0), Pipe (459356-2), Sash Nozzle Holder (459355-4), High Efficiency Filter (1910C7-9), Sponge Filter (422908-2), Pre-filter (413H29-9), Strap (163400-6)
- DCL286FRF Also Includes:** BL1830B 18V LXT Battery (3.0Ah) (194205-3), Rapid Charger (DC18RC)

Battery Capacities	18V LXT
Container Capacity	250 ml
Continuous Use w/BL1830B:	
Approx. 13 minutes (Max) / Approx. 17 minutes (High)	
Approx. 42 minutes (Low) / Approx. 42 minutes (Quiet)	
Maximum Air Flow	35 CFM
Power: (Max) 100 W / (High) 60 W / (Low) 35 W / (Quiet) 15 W	
Static Water Lift	72.3" (183 cm)
Noise Level:	(unavailable)
Overall Length	43-1/2" (110.6 cm)
Net Weight	2.7 lbs (1.2 kg)



CL111DWI

10.8V Li-Ion 560 ml Stick Vacuum Cleaner (White)

Lightweight & portable Vacuum Cleaner for home use

Features built-In 10.8V Li-Ion Battery

- Easy to empty dust canister minimizes downtime
- 2 Stage nylon cloth filter
- Built-in battery eliminates need to transport and store additional batteries

CL111DWI Includes: Floor Nozzle (198150-4), Pipe (451424-7), Sash Nozzle (416041-0), Sash Nozzle Holder (416043-6), Reusable Nylon Pre-Filter (451208-3), Reusable Cloth Filter (443060-3), Charger (DC1001)

Battery	10.8V Li-Ion
Container Capacity	560 ml
Charging Time w/DC1001 Charger	Approx. 180 minutes
Continuous Use	Approx. 12 minutes
Maximum Air Flow	49.4 CFM
Power	21 W
Static Water Lift	14" (350 mm)
Noise Level	(unavailable)
Overall Length	35-3/4" (900 mm)
Net Weight	2.1 lbs (0.94 kg)



CL070DZ

7.2V Li-Ion 600 ml Stick Vacuum Cleaner (White)

Lightweight and portable vacuum cleaner for home use

- Cloth filtration system enables easy disposal of dust, eliminating the need for disposable paper bags
- Angled suction port enables cleaning without floor nozzle and prevents extension pipes from wobbling during operation

CL070DZ Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (123485-4), Pipe (451424-7), Sash Nozzle (416041-0), Sash Nozzle Holder (416043-6), Reusable Nylon Pre-Filter (451208-3), Reusable Cloth Filter (443060-3)

Battery Capacities	7,2V Li-Ion
Capacité du conteneur	600 ml
Continuous Use w/BL0715:	Approx. 12 minutes
Maximum Air Flow	42 CFM
Power	14 W
Static Water Lift	7.2" (180 mm)
Overall Length	38-1/32" (966 mm)
Net Weight	1.6 lbs (0.7 kg)



CL072DZ

7.2V Li-Ion 500 ml Stick Vacuum Cleaner (White)

Lightweight and portable vacuum cleaner for home use / 2-Speed

- Hinged front cover opens with push button for quick and easy access to dust bag
- 2-Speed power button with lock-on feature allows for continuous use without having to keep button depressed

CL072DZ Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (123485-4), Pipe (451424-7), Sash Nozzle (416041-0), Sash Nozzle Holder (416043-6), Paper Filter (5 / Pk) (194566-1)

Battery Capacities	7.2V Li-Ion
Container Capacity:	500 ml (Dust Bag)
	330 ml (Paper Bag)
Continuous Use w/BL0715:	Approx. 12 minutes (High)
	Approx. 24 minutes (Low)
Maximum Air Flow	32 CFM
Power	14 W (High) / 6 W (Low)
Static Water Lift	9.2" (230 mm)
Overall Length	38-3/4" (984 mm)
Net Weight	2.0 lbs (0.9 kg)

DUST EXTRACTORS

XGT/AC



XGT 40V | 80V max **BL MOTOR**

NEW

VC007GLZ02

80V (40Vx2) max XGT 40.0 L Wet & Dry Dust Extractor w/HEPA, XPT & AWS

Industry leading runtime of up to 80 min (w/2 x 5.0Ah battery) with quiet operation at just 59 db on low setting

VC007GLZ02 Includes: Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (199455-5), 1-1/2" x 11-1/2' Hose (195434-1), Poly Bag (10 / Pk) (1910R3-2), HEPA Filter (1911B7-8), Damper (1911B4-4), Pre-filter (1911B5-2), 22" Straight Pipe (192563-1), 22" Bending Pipe (192562-3), 12" Corner Nozzle (410306-2), Front Cuff 24 (195546-0), Joint (195548-6), Auto-start Wireless System (AWS) Bluetooth Transmitter (198901-5)

Battery Capacities	Two 40V max XGT
Dry Tank Capacity	40.0 L
Wet Tank Capacity	30.0 L
Continuous Use w/BL4050F x2:	
Dial Min: Approx. 80 Min. / Dial Max: Approx. 25 Min.	
Maximum Air Flow:	173 CFM (4.9 m ³ /min) at turbine
	131 CFM (3.7 m ³ /min) at hose end
Power	350 W (Dial Max) / 75 W (Dial Min)
Static Water Lift	72.3" (183 cm)
Sound Level	70 dB(A)
Dimensions (L x W x H)	23" x 15-1/8" x 23-1/2"
	(586 mm x 385 mm x 598 mm)
Net Weight	37.3 lbs (16.9 kg)



VC4210L

42.0 L Class Dust Extractor w/HEPA

L Class Automatic Filter Cleaning Dust Extractor

Wet / Dry Dust Extractor

- Washable HEPA Filter cartridge filter protects turbine by holding back fine dust and debris

VC4210L Includes: HEPA Filter (W107413555), Fleece Filter Bag (1 Ea. W107418353), Disposal Bag (1 Ea. W107418355), 1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling) (P-84084), Quick Connect Tool Adapter (P-70378), Tool Adapter (W107418688), Crevice Nozzle (P-80005), Two Interlocking Case Holder (W107418357), Adapter 35/38 (P-70421), Flat Filter (W107418351):

Container Capacity	42.0 L
Dry Tank Capacity	34.0 L
Wet Tank Capacity	30.0 L
Maximum Air Flow	148 CFM
Static Water Lift	101" (255 cm)
AMPS (120V)	7.4 A
Power Cord Length	24.6 ft (7.5 m)
Sound Level	60 dB(A)
Dimensions (L x W x H)	22-5/8" x 15" x 23-7/8"
	(575 mm x 385 mm x 605 mm)
Net Weight	35.3 lbs (16.0 kg)

VC3012L

30.0 L Push and Clean L Class Dust Extractor w/HEPA

L Class Push & Clean Filter Cleaning Dust Extractor (30.0 L)

Wet / Dry Dust Extractor

- Push & Clean HEPA Filter System clears particulate and debris from clogged filters to maximize filter efficiency

VC3012L Includes: 12" Crevice Nozzle (P-80005), Tool Adapter 38 (W107418688), Tool Adapter 22 (W107418678), Quick Connect Tool Adapter (P-70378), 1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling) (P-84084), Nano Fleece Filter Bag (1 Ea. P-84078), HEPA Filter (T-01806), Plastic Disposal Bag (1 Ea. P-70297)

Container Capacity:	30.0 L
Dry Tank Capacity	24.0 L
Wet Tank Capacity	19.0 L
Maximum Air Flow	113 CFM
Static Water Lift	101" (255 cm)
AMPS (120V)	7.0 A
Power Cord Length	24.6 ft (7.5 m)
Sound Level	59 dB(A)
Dimensions (L x W x H)	19-3/8" x 15" x 19-3/8"
	(500 mm x 385 mm x 485 mm)
Net Weight	22.0 lbs (10.0 kg)

VC2000L

20 L Push and Clean L Class Dust Extractor

L Class Push & Clean Filter Cleaning Compact

Dust Extractor (20.0 L)

Wet / Dry Dust Extractor

- Push & Clean HEPA Filter System clears particulate and debris from clogged filters to maximize filter efficiency

VC2000L Includes: Floor Nozzle (W107402706), Extensions Tubes (P-72942), Crevice Nozzle (W000029541), Universa Nozzle (W142950000), Suction Hose (P-81739), Filter Bag (1 Ea. P-72899), Plastic Disposal Bag (1 Ea. P-70297), PET Fleece Filter Element (P-70219)

Container Capacity:	20.0 L
Dry Tank Capacity	16.0 L
Wet Tank Capacity	13.0 L
Maximum Air Flow	127 CFM
Static Water Lift	(unavailable)
AMPS (120V)	(unavailable)
Power Cord Length	16.4 ft (5 m)
Sound Level	64 dB(A)
Dimensions (L x W x H)	14-3/4" x 15" x 19-7/8"
	(375 mm x 385 mm x 505 mm)
Net Weight	16.6 lbs (7.5 kg)


COMMERCIAL CLEANING ACCESSORIES



Long Sash Nozzle Set
(On-Tool Storage)



Round Brush Set
(On-Tool Storage)



Aluminum Pipe

UPRIGHT VACUUM ACCESSORIES


Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
191E39-5	HEPA Filter HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	DVC560	191D67-4	Round Brush	Extraction For Fine Detail Work	DVC560
191D63-2 (10 / Pk)	Filter Bag Set	Filtration For Dry Material	DVC560	191D65-8	Long Sash Nozzle	Extraction For Fine Detail Work	DVC560
191D69-0	Brush Set	Capture Large Debris And Small Particles	DVC560				



Main Brush
captures large debris and small particles



Side Brushes
are designed to help capture debris alongside walls, corners and obstacles



Main Brush and two Side Brushes
combine to provide a wide cleaning path of over 18"

SMART ROBOTIC VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
191P31-7	HEPA Filter HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	DRC300	191P24-4	Bottom Plate	For Use When Power Brush Is Used	DRC300
191P28-6	Side Brushes	Capture Large Debris And Small Particles	DRC300	620B53-1	Wireless Remote Controller	Wireless Capability To Set Most Operating Functions Including Location Beacon	DRC300
191P22-8	Main Brushes	Capture Large Debris And Small Particles	DRC300	191P18-9	16' Magnetic Boundary Line Tape	Boundary Line Tape Prevents The Vacuum From Travelling Into Restricted Zones	DRC300



ROBOTIC VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
SH00000213	Filter	Capture Micro Dust Particulates	DRC200	SH0000064	Turn Brush Cover Protector	For Use When Power Brush Is Used	DRC200
SH0000065	Side Brushes	Capture Large Debris And Small Particles	DRC200	SH00000238	Wireless Remote Controller	Wireless Capability To Set Most Operating Functions Including Location Beacon	DRC200
SH0000063	Power Brush	Capture Large Debris And Small Particles	DRC200	SH00000240	50' Boundary Line Tape	Boundary Line Tape Prevents The Vacuum From Travelling Into Restricted Zones	DRC200



Backpack Vacuum Accessories
continued on next page

BACKPACK VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
123636-9			DVC260 DVC261 DVC265	191C26-2			DVC260 DVC261 DVC265
191D12-9	HEPA Filter HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	DVC660 DVC665	197902-0	Paper Filter Bag (10 / Pk)	Filter Bags For Dry Material	DVC260 DVC261 DVC265
191Y27-2			VC008 VC009	197903-8			VC008 VC009

BACKPACK VACUUM ACCESSORIES







Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
 197898-5	Cloth Dust Bag (1 / Pk)	Filter Bags For Dry Material	DVC260 DVC261 DVC265 VC008	 198184-7	Floor Nozzle With Carpet Shift For 1-1/2" Hose	For Vacuuming Floors With Hard Or Soft Surfaces	DVC260 DVC261 DVC265
 424838-3	Rear Block Filter	Enables Filtration Of Exhaust	DVC260 DVC261 DVC265	 191G86-8	Floor Nozzle With Carpet Shift For 1-1/4" Hose		VC008
 123584-2	2' To 2-1/2' Telescopic Pipe For 1-1/8" Hose	Extraction Flow Of Dust Particulate Matter	DVC260 DVC261 DVC265	 199454-7	Floor Nozzle (Black) For 1-1/8" Hose	Extraction For Floor Detail Work	DVC260 DVC261 DVC265
 140G19-0	Telescopic Pipe For 1-1/8" Hose		DVC260 DVC261 DVC265 DVC660 DVC665 VC008	 199454-7			DVC660 DVC665
 126756-8	Bent Pipe For 1-1/8" Hose	Extraction Flow Of Dust Particulate Matter	DVC260 DVC261 DVC265	 162469-7	Backpack Shoulder Harness	Secured With Two Straps That Go Over The Shoulders	DVC260 DVC261 DVC265
 140G26-3			DVC660 DVC665 VC008	 162700-1			DVC660 DVC665
 127093-3			DVC261ZX11	 162B37-8			VC009
 192563-1	22" Straight Pipe For 1-1/2" Hose	Extraction Flow Of Dust Particulate Matter	DVC260 DVC261 DVC265	 162B36-0			VC008
 192562-3	22" Bending Pipe For 1-1/2" Hose	Extraction Flow Of Dust Particulate Matter	DVC260 DVC261 DVC265	 191Y14-1	Harness Cover	Washable Harness Cover Made Of Mesh For Improved Breathability	VC008 VC009
 197900-4	Flexible Rubber Nozzle For 1-1/8" Hose	Extraction For Fine Detail Work	DVC260 DVC261 DVC265	 166116-2	Hose Band	Hose Band To Secure Flexible Rubber Nozzle (197900-4) To DVC260	DVC260 DVC261 DVC265 DVC660 DVC665 VC008, VC009
 198548-5	Round Brush (Ivory) For 1-1/8" Hose	Extraction For Fine Detail Work	DVC260 DVC261 DVC265	 143787-2	1-1/8" X 3' Hose		DVC260 DVC261 DVC265
 198878-4	Round Brush (White) For 1-1/8" Hose		DVC260 DVC261 DVC265 DVC660 DVC665	 199453-9	1-2/8" X 3' Hose		DVC660 DVC665
 199037-3	Seat Nozzle For 1-1/8" Hose	For Vacuum Tasks In Narrow Areas	DVC260 DVC261 DVC265 DVC660 DVC665	 199453-9	1-1/4" X 3' Hose	Extraction Flow Of Dust Particulate Matter	VC008
 199439-3	Crevice Nozzle For 1-1/8" Hose	For Vacuum Tasks In Narrow Areas	DVC260 DVC261 DVC265 DVC660 DVC665	 A-34235	1-1/8" X 5' Hose With Front Cuffs 22 And 38		DVC261 DVC265 VC009
 198919-6	13" Corner Nozzle (White) For 1-1/4" Hose	For Vacuum Tasks In Narrow Areas	VC008	 198757-6	1-1/2" X 5' Hose With Front Cuff 38		
 410306-2	12" Corner Nozzle (Ivory) For 1-1/4" Hose		DVC260 DVC261 DVC265	 152992-0	1-1/8" X 5' Hose With Front Cuff 38		DVC260 DVC261 DVC265 DVC660 DVC665
 123486-2	Floor Nozzle (White) For 1-1/8" Hose	Extraction For Floor Detail Work		 195547-8	Front Cuff 22	To Facilitate Connection To Power Tools For Dust Extraction And Collection	VC009
 198183-9	Floor Nozzle With Carpet Shift For 1-1/8" Hose	For Vacuuming Floors With Hard Or Soft Surfaces	DVC260 DVC261 DVC265	 195546-0	Front Cuff 24		DVC260 DVC261 DVC265 VC009
 123488-8	Floor Nozzle (Teal) For 1-1/8" Hose	Extraction For Floor Detail Work		 198901-5	AWS Bluetooth AWS Auto-Start Wireless Transmitter	Bluetooth Technology Communication Device	DVC265 DVC665 VC009



Washable HEPA Filter Cartridge for longer life and Two suction settings to easily adjust the suction level to the application



PORTABLE VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
162518-0	 HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	DVC750	140G04-3		Extraction Flow Of Dust Particulate Matter	DVC750
199827-4	 Pre-Filter Set	Filtration For Wet / Dry Material	DVC750	458891-7		Extraction for Floor Detail Work	DVC750
199486-4	 Shoulder Belt	Belt Worn Diagonally Across The Chest And Over The Shoulder	DVC750	458919-1		Extraction For Fine Detail Work	DVC750



Cannister Vacuum Accessories continued on next page

CANNISTER VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
197166-6	 HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC155, DVC156 DVC157, DVC865 DVC866, DVC867	191V71-1		Filtration For Dry Material	VC005
191V70-3	 Powder Filter HEPA Set		VC004	144625-1		Filtration for Wet Material	VC001
195552-5		Filtration For Wet / Dry Material	DVC862 DVC152 DVC155	195555-9		Filter Bags For Dry Material	DVC862 DVC152 DVC155
191V68-0			VC004	195557-5		Disposal Bags For Wet Material	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC155, DVC156 DVC157, DVC865 DVC866, DVC867
195553-3	 Pre-Filter	Filtration For Wet / Dry Material	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC155, DVC156 DVC157, DVC865 DVC866, DVC867	195432-5		Extraction For Floor Detail Work	DVC862 DVC152 DVC155 VC001 VC004 VC005
191V69-8		Filtration For Dry Material	VC004	122512-4			DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154
140248-3	 Cloth Filter	Filtration For Dry Material	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC156, DVC867	199454-7			VC005

CANNISTER VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model		
	198184-7	Floor Nozzle With Carpet Shift For 1-1/2" Hose	Extraction For Hard And Soft Surfaces	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154		140G19-0	22" to 36" Telescopic Pipe	VC001 VC005	
	191G86-8	Floor Nozzle With Carpet Shift For 1-1/4" Hose		VC001		192563-1	22" Straight Pipe For 1-1/2" Hose	Extraction Flow Of Dust Particulate Matter	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154
	410306-2	12" Corner Nozzle (Ivory) For 1-1/4" Hose Length	Extraction For Fine Detail Work	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154		192562-3	22" Bending Pipe For 1-1/2" Hose		VC001 VC005
	198919-6	13" Corner Nozzle (White) For 1-1/4" Hose Length		VC001 VC005		140G26-3	Curved Pipe Handle w/Lock	VC001 VC005	
	191657-9	Round Brush (Black) For 1-1/2" Hose	For Fine Detail Work	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154		455732-8	Accessory Tool Box	Holder For Tool Accessories	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154
	195434-1	1-1/2" x 11-1/2" Hose	Extraction Flow Of Dust Particulate Matter	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 VC004		413B37-4	Multi Hook	Holder For Tool Accessories	VC001 VC004 VC005
	195433-3	1-1/8" x 11-1/2" Hose With Front Cuffs 22, 24 And 38		VC001 VC005		195544-4	Power Tool Cord Clamp Holder	To Secure Power Cord Or Dust Extractor Hose	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154
	199493-7	1-1/4" x 5-1/2" Hose				198901-5	AWS Bluetooth Two Auto-Start Wireless Unit Set	Bluetooth Technology Communication Device	DVC157 DVC867 VC004

STICK VACUUM CYCLONIC ATTACHMENTS

HIGHER-EFFICIENCY CLEANUP

Boost the efficiency of a Makita Compact Vacuum with the Makita Cyclonic Vacuum Attachment

The Makita Cyclonic Vacuum Attachment is engineered for easy disposal of debris and reduces the amount of dust that enters the vacuum's main canister. The efficient cyclonic action captures up to 90% of dust particles and increases productivity by reducing the need to empty the main canister / filter.



One-touch release for easy disposal of debris



Prevents suction force from weakening by reducing the amount of dust that enters the vacuum's main filter



Stick Vacuum Accessories continued on next page










































Part No.	Description	For Model	
	199553-5	Black Cyclonic Vacuum Attachment	DCL280, DCL281 DCL180, DCL181 DCL282
	199491-1	White Cyclonic Vacuum Attachment	DCL280, DCL281 DCL180, DCL181 DCL282
	191D72-1	Black Cyclonic Vacuum Attachment w/Lock	DCL280 DCL281 DCL282


STICK VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model		
	199966-0		DCL280 DCL281		1987461-1	Cloth Filter Bag	Filtration For Dry Material	DCL182, CL105 CL107, CL072 DCL282	
	198752-6	High Efficiency Filter	High Efficiency Filtration For Dry Material	DCL180, DCL181 DCL182, LC01 CL106, CL107 CL108, CL111 CL072, CL070, CL105		194565-3 (10 / Pk) 194566-1 (5 / Pk)	Paper Filter	Filtration For Dry Material	DCL182, CL105 CL107, CL072
	1910C7-9		CL003		443060-3	Reusable Cloth Filter	Filtration For Dry Material	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070, CL108	

COMMERCIAL CLEANING ACCESSORIES

STICK VACUUM ACCESSORIES

Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model				
 422908-2	Sponge Filter	Filtration For Dry Material	CL003	 416041-0 (Ivory)	Sash Nozzle	For Vacuum Tasks In Narrow Areas	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070, CL108				
 451208-3	Reusable Nylon Pre-Filter	Filtration For Dry Material	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070, CL108	 451243-1 (Teal)	Sash Nozzle	For Vacuum Tasks In Narrow Areas	DCL180, DCL181 DCL182, DCL280 LC01, CL106 CL107, CL108 CL111, CL072 CL070DZ, CL105				
 413H29-9	Reusable Pre-Filter		CL003	 456586-6 (Black)							
 198878-4 (White)	Round Brush	Extraction For Fine Detail Work	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070, CL108	 198552-4 (Ivory)	 198553-2 (Teal)	 198551-6 (Black)	 413859-0 (Teal)	CL001			
 413809-5 (Black)				 413859-0 (Teal)	CL003						
 198872-6 (White)				Shelf Brush		Extraction For Fine Detail Work	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070, CL108	 191724-0 (Ivory)	 198534-6 (Teal)	 198540-1 (Black)	 459355-4 (Teal)
 459038-6 (Black)					Storage Of Sash Nozzles			CL001 CL003			
 198918-8 (White)	Corner Nozzle	For Vacuum Tasks In Narrow Areas	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070D, CL108						 198989-5 (Ivory)	 198992-6 (Teal)	 198992-6 (Black)
 127827-4 (Teal)					Floor Nozzle			Extraction For Floor Detail Work	DCL180, DCL181 DCL182, DCL280 LC01, CL106 CL107, CL108 CL111, CL072, CL070 CL105, LC01	CL003	Flexible Hose
 198867-9 (White)											
 191496-7 (Ivory)											
 198541-9 (Teal)											
 123539-7 (Black)	Floor Nozzle	Extraction For Floor Detail Work	DCL180, DCL181 DCL182, DCL280 DCL281, DCL282 LC01, CL106, CL107 CL108, CL111, CL072 CL070, CL105, LC01	CL003	Straight Vacuum Pipe	Extraction Flow Of Dust Particulate Matter	DCL180 DCL181				
 191D79-7 (White)											
 191D80-2 (Black)											
 191D77-1 (Black)											
 123488-8 (Teal)	Floor Nozzle	Extraction For Floor Detail Work	DCL180, DCL181 DCL182, DCL280 DCL281, DCL282 LC01, CL106, CL107 CL108, CL111, CL072 CL070, CL105, LC01	CL001	Straight Vacuum Pipe w/Lock	Extraction Flow Of Dust Particulate Matter	DCL280 DCL281 DCL282				
 191D79-7 (White)											
 191D80-2 (Black)											
 191D77-1 (Black)											
 127827-4 (Teal)	Floor Nozzle	Extraction For Floor Detail Work	DCL180, DCL181 DCL280, DCL281 DCL282, LC01 CL106, CL111 CL070, CL108	CL001	Straight Vacuum Pipe w/Lock	Extraction Flow Of Dust Particulate Matter	CL001 CL003				
 127828-2 (Black)											
 199431-9 (Teal)								Flexible Hose Attachment	Flexible Accessibility to Tight or Awkward Areas	DCL280 DCL281 DCL282	
 191E30-3											
 451240-7 (White)	Sash Nozzle	For Vacuum Tasks In Narrow Areas	DCL180, DCL181 DCL182, DCL280 LC01, CL106, CL107 CL108, CL111 CL072, CL070 CL105, LC01	CL001	Wall Mount Holder	Bracket Can Hold The Vacuum For Storage	DCL180, DCL181 DCL280, DCL281 DCL282				
 199971-7											



L CLASS AUTOMATIC FILTER CLEANING 42.0 L DUST EXTRACTOR VC4210L

Motor chamber constructed of quality sound-absorbing materials resulting in a quiet operating sound level of 60 dB(A)

Powerful 7.4 AMP motor generates 148 CFM of suction power and 101" of water lift



Secure interlocking case on top of the unit



On-board tool-activated power outlet

VC4210L PARTS AND ACCESSORIES

Part No.	Description	Part No.	Description
W107413555	HEPA Filter Wet / Dry HEPA Filter	197211-7	MAKPAC Interlocking Case (Medium)
W107418351	HEPA Filter HEPA Filter Flat Cartridge	197212-5	MAKPAC Interlocking Case (Large)
W107418349	Cleaning Set	197213-3	MAKPAC Interlocking Case (Extra-Large)
W107418353	Nano Fleece Filter Bag (5 / Pk)	P-83836	MAKPAC Interlocking Tool Box (Small)
W107418355	Plastic Disposal Bag (5 / Pk)	P-83842	MAKPAC Interlocking Tool Box (Large)
197210-9	MAKPAC Interlocking Case (Small)	P-84137	MAKPAC Interlocking Storage Box

L CLASS DUST EXTRACTOR BRUSH & NOZZLE SETS

Part No.	Description	Includes	For Models
P-70502	4 Piece Brush & Nozzle Set For 1-3/8" Hose	<ul style="list-style-type: none"> 12" Crevice Nozzle (P-80005) 1-3/4" x 5" Rectangular Brush Nozzle (P-70471) Brush, Universal Nozzle <p>Note: Brush & Universal Nozzle Not Available Separately</p>	VC4710 446L VC3012L
P-70518	3 Piece Brush & Nozzle Set For 1-3/8" Hose	<ul style="list-style-type: none"> 1-3/4" x 2-3/4" Square Brush Nozzle (P-80004) Rubber Tube Nozzle Universal Nozzle <p>Note: Rubber Tube Nozzle & Universal Nozzle Not Available Separately</p>	VC4710 446L VC3012L
P-70312	8 Piece Brush & Nozzle Set For 1-3/8" Hose	<ul style="list-style-type: none"> Floor Nozzle with Carpet Shift (P-70465) 1-3/4" x 2-3/4" Square Brush Nozzle (P-80004) Universal Nozzle 12" Crevice Nozzle (P-80005) Pipe Holder (W302004027) Two 19" Extension Tubes (P-70437) Curved Tube Handle (P-70346) <p>Note: Universal Nozzle Not Available Separately</p>	VC4710 446L VC3012L VC4210L

COMMERCIAL CLEANING ACCESSORIES

L CLASS DUST EXTRACTOR ACCESSORIES							
Part No.	Description	Application / Specification	For Model	Part No.	Description	Application / Specification	For Model
 P-70194	Paper Filter Bag (5 / Pk)	Lock Out Paper Filter Bags For Dry Material	446L, VC3012L VC2512L VC4210L	 W107402706	Floor Nozzle For 1-1/4" Hose		VC2000L
 P-72899	Filter Bag (5 / Pk)	Paper Filter Bags For Dry Material	446L, VC2000L VC3012L VC2512L VC4210L	 P-81789	Floor Nozzle For 1-3/8" Hose	Extraction For Floor Detail Work	VC3012L
 P-79843	Nano Fleece Filter (2 / Pk)	99.95% Efficiency (0.05% Maximum Permeability) ≥ 2 Microns (µ)	VC4710	 W142950000	Universal Nozzle For 1-1/4" Hose		VC2000L VC2512L
 P-79859	 HEPA Filter (2 / Pk)	99.97% Efficiency (0.03% Maximum Permeability) ≥ 0.3 Microns (µ)	VC4710	 W107418688	Front Cuff 32	To Facilitate Connection To Power Tools For Dust Extraction And Collection	VC3012L
 P-70219	PET Fleece Filter Cartridge	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (µ)	446L VC2000L VC3012L VC2512L	 P-72942	Extension Tubes (Can Be Connected For A Combined Length Of 39-1/2")	Two 20-1/2" Lengths	VC2000L VC4710 446L
 T-01806	 HEPA Filter	99.995% - 99.999% Efficiency (0.005% - 0.001% Maximum Permeability) ≥ 0.3 Micron (µ)	446L VC3012L VC2512L	 P-70437	Extension Tubes (Can Be Connected For A Combined Length Of 39-1/2")	39-1/2" Assembled Length	VC3012L VC2512L VC4210L
 W107418351	 HEPA Filter Flat Cartridge	99.995% Efficiency (0.03% Max. Permeability) ≥ 0.1 microns (µ)	VC4210L	 P-70346	Curved Tube Handle For 1-3/8" Hose	Handle For Use With Extension Tubes	VC3012L VC4710 446L, VC2512L VC4210L
 W107413540	PET Filter	Motor Cooling Air Filter	VC4210L	 P-84084	1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling)		VC3012L VC2512L VC4210L
 P-80002	Filter Screen	Replaces Filter When Vacuuming Wet Materials	446L	 P-79865	1-3/8" x 9-1/2' Anti-Static Suction Hose (Features P-70421 1-3/8" Hose Joint)		VC4710 446L
 P-78293			VC4710	 P-70487	1" x 11-1/2' Anti-Static Suction Hose	Extraction Flow Of Dust Particulate Matter	
 P-84078	Nano Fleece Filter Bag (5 / Pk)	Lock Out Nano Fleece Filter Bag For Dry Material	VC3012L	 W107406115	1-1/4" x 11' Suction Hose		VC2512L
 W107418353			VC4210L	 P-70362	1-3/8" x 9-1/2' Anti-Static Suction Hose		446L
 P-70297	Plastic Disposal Bag (5 / Pk)	Disposal Bag For Semi-Wet Material Or Liners With Fleece Filter Bag	VC4710, 446L VC2000L VC3012L VC2512L VC4210L	 P-81739	1-1/4" x 11' Suction Hose		VC2000L
 W107418355			VC4210L	 P-70384	Quick Connect Coupling	Quick Connect Coupling For 1-3/8" Anti-Static Suction Hose	VC4710 446L
 P-80001	Exhaust Fitting	Part Enables Dust Free Environment With 1-3/8" Anti Static Suction Hose	446L	 P-70378	Quick Connect Tool Adapter	Quick Connect Tool Adapter For 1-3/8" Anti-Static Suction Hose	VC3012L VC4710 VC4210L, 446L, VC2512L
 P-80004	1-3/4" x 2-3/4" Square Brush Nozzle For 1-3/8" Hose		446L	 W107418688	Tool Adaptor	Quick Connect Tool Adapter For 1-3/8" Anti-Static Suction Hose	VC4210L
 P-70471	1-3/4" x 5" Rectangular Brush Nozzle For 1-3/8" Hose	Extraction For Fine Detail Work	446L	 P-80003	Power Cord Storage Holders	To Attach Power Cord To Dust Extractors	VC4710 446L
 P-80005	12" Crevice Nozzle For 1-3/8" Hose		446L	 W107418357	Interlocking Case Holder (2 / Pk)	For Attachment Of Interlocking Cases	VC4210L
 W-000029541	Crevice Nozzle For 1-1/4" Hose	For Vacuuming Tasks In Narrow Areas	VC2000L	 W107418356	Metal Handle	For Ease Of Transport And Maneuverability	VC4210L
 P-70465	Floor Nozzle with Carpet Shift For 1-3/8" Hose	For Vacuuming Floors With Hard Or Soft Surfaces	446L VC3012L VC4210L	  WUT02U	Auto-Start Wireless System (AWS) Bluetooth Dust Extractor Adapter Kit	Wireless Activation Of Electric (AC) Dust Extractors	VC3012L VC4710 VC4210L 446L VC2512L

DUST EXTRACTOR ADAPTERS

For a complete up to date listing of all relevant accessories to support these products, please refer to makita.ca

VC4710
1 3/8" HOSE
Standard Equipment
 P-79865

1" Hose Fittings
 (P-70487) exact same as 446L when used with 1" Optional Accessory Hose

1 3/8" HOSE
Standard Equipment
 P-84084

VC3012L
VC2000L

1 1/4" HOSE
Standard Equipment
 P-81739

VC4210L

1" HOSE
Standard Equipment
 P-70487

OR

1 3/8" HOSE
Optional Accessory
 P-70362

446L






When greater suction power is required for coarser materials (e.g. wood chips), it is recommended to use the 1-3/8" Anti-Static Suction Hose which offers greater air volume.

P-70378* Quick Connect Tool Adapter for 1-1/4" & 1-3/8" Hose
 Where P-70378 is marked with an asterisk (*), P-70421 may be threaded directly to the 1-3/8" or 1-1/4" hose and P-70378 not utilized. P-70378 should be used when the vacuum hose is regularly switched between different tools. Using P-70421 alone offers greater security between the adapters and slightly increased performance.


Tool Models	Hose	Adapter Part No.			Dust Extractor Models
<p>MITRE SAWS LS1216, LS1016, LS1018L, LS1017L LS0815FL, LS01714B, LS0714 LS1440, LS1221, LS1040</p>	1-3/8"	No Adapters Required			VC4710
	1", 1-3/8" 1-1/4"	P-70421		P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
<p>16-5/16" CIRCULAR SAW 5402NA</p>	1-3/8"	450316-7			VC4710
	1", 1-3/8" 1-1/4"	450316-7	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
<p>10-1/4" CIRCULAR SAW 5104</p>	1-3/8"	450316-7			VC4710
	1", 1-3/8" 1-1/4"	450316-7	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
<p>8-1/4" CIRCULAR SAW 5008MGA</p>	1-3/8"	P-80018			VC4710
	1", 1-3/8" 1-1/4"	P-80018	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
<p>7-1/4" CIRCULAR SAW HS7600</p>	1-3/8"	196843-7	P-70378	P-70384	VC4710
	1", 1-3/8" 1-1/4"	196843-7	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
<p>7-1/4" CIRCULAR SAW 5057KB</p>	1-3/8"	No Adapters Required			VC4710
	1", 1-3/8" 1-1/4"	P-70421		P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
<p>6-1/2" PLUNGE CUT CIRCULAR SAWS SP6000</p>	1-3/8"	P-70378			VC4710
	1", 1-3/8" 1-1/4"	No Adapters Required			VC2000L VC3012L, VC2512L VC4210L, 446L
<p>6-1/2" PLUNGE CUT CIRCULAR SAWS SP6000</p>	1-3/8"	P-80008			VC4710
	1", 1-3/8" 1-1/4"	P-80008	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L

COMMERCIAL CLEANING ACCESSORIES

Tool Models		Hose	Adapter Part No.			Dust Extractor Models	
	5" WALL CHASER SG1251J	1-3/8"	No Adapters Required			VC4710	
		1", 1-3/8" 1-1/4"	P-70421	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L	
	3-1/2 HP PLUNGE ROUTERS RP1801F, RP2301FC	1-3/8"	P-80023			VC4710	
		1", 1-3/8" 1-1/4"	P-80023			VC2000L VC3012L, VC2512L VC4210L, 446L	
	PLUNGE ROUTERS 3612C, 3620	1-3/8"	P-80007			VC4710	
		1", 1-3/8" 1-1/4"	P-80007			VC2000L VC3012L, VC2512L VC4210L, 446L	
	1-1/4 HP PLUNGE ROUTER RP0900K	1-3/8"	P-80011			VC4710	
		1", 1-3/8" 1-1/4"	P-80011			VC2000L VC3012L, VC2512L VC4210L, 446L	
	2-1/4 HP ROUTERS RD1101, RF1101, RP1101	1-3/8"	P-80009			VC4710	
		1", 1-3/8" 1-1/4"	P-80009			VC2000L VC3012L, VC2512L VC4210L, 446L	
	1/4" - 3/8" TRIMMERS RT0701C	1-3/8"	P-80011 for Plunge Base	OR	195559-1 for Trimmer Base	VC4710	
		1", 1-3/8" 1-1/4"	P-80011 for Plunge Base	OR	195559-1 for Trimmer Base	VC2000L VC3012L, VC2512L VC4210L, 446L	
	5" CONCRETE PLANERS PC5000C, PC5001C	1-3/8"	No Adapters Required			VC4710	
		1", 1-3/8" 1-1/4"	P-70421	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L	
	TOOL-LESS MULTI TOOL TM3010CX3	1-3/8"	196550-2	P-80024	P-70378	P-70384	VC4710
		1", 1-3/8" 1-1/4"	196550-2	P-80024	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L
	MULTI TOOL TM3000CX1	1-3/8"	199618-3	P-80024	P-70378	P-70384	VC4710
		1", 1-3/8" 1-1/4"	199618-3	P-80024	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L
	DRYWALL CUTOUT TOOL 3706	1-3/8"	P-80010	P-80024	P-70378	P-70384	VC4710
		1", 1-3/8" 1-1/4"	P-80010	P-80024	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L
	10" TABLE SAW 2705	1-3/8"	P-80022			VC4710	
		1", 1-3/8" 1-1/4"	P-80022	P-70421	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L

Tool Models	Hose	Adapter Part No.				Dust Extractor Models
 <p>JIG SAW JV0600K</p>	1-3/8"	P-80024	P-70378	P-70384	VC4710	
	1", 1-3/8" 1-1/4"	P-80024		P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>JIG SAWS 4350FCT, 4351FCT</p>	1-3/8"	P-80020	P-80024	P-70378	P-70384	VC4710
	1", 1-3/8" 1-1/4"	P-80020		P-80024	VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>BELT SANDERS 9403, 9404, 9920, 9903 9911KX1, 9031</p>	1-3/8"	P-80024	P-70378	P-70384	VC4710	
	1", 1-3/8" 1-1/4"	P-80024			VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>3" X 24" BELT SANDER 9924DB</p>	1-3/8"	P-80019			VC4710	
	1", 1-3/8" 1-1/4"	P-80019	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>3/8" X 21" BELT SANDER 9032</p>	1-3/8"	P-80006	P-80024	P-70378	P-70384	VC4710
	1", 1-3/8" 1-1/4"	P-80006		P-80024	VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>SANDERS B03710, B04556K, B04557, B06040 B06030, B05021K, B05030 B05031K, B05041K</p>	1-3/8"	P-80024	P-70378	P-70384	VC4710	
	1", 1-3/8" 1-1/4"	P-80024			VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>6" RANDOM ORBIT FINISHING SANDER B06050J</p>	1-3/8"	P-70378			VC4710	
	1", 1-3/8" 1-1/4"	P-70378*			VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>3-1/4" PLANER KP0810</p>	1-3/8"	No Adapters Required				VC4710
	1", 1-3/8" 1-1/4"	P-70421		P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L
 <p>3-1/4" PLANER KP0800</p>	1-3/8"	451329-1			VC4710	
	1", 1-3/8" 1-1/4"	451329-1	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L	
 <p>4-3/4" WHEEL SANDER 9741</p>	1-3/8"	P-80014				VC4710
	1", 1-3/8" 1-1/4"	P-80014	P-70421	P-70378*		VC2000L VC3012L, VC2512L VC4210L, 446L
 <p>PLATE JOINERS 3901, PJ7000</p>	1-3/8"	P-80024	P-70378	P-70384	VC4710	
	1", 1-3/8" 1-1/4"	P-80024			VC2000L VC3012L, VC2512L VC4210L, 446L	

COMMERCIAL CLEANING ACCESSORIES

Tool Models		Hose	Adapter Part No.			Dust Extractor Models	
	1-9/16" ROTARY HAMMERS HR4013C	1-3/8"	199014-5	P-70378	P-70384	VC4710	
		1", 1-3/8" 1-1/4"	199014-5			VC2000L VC3012L, VC2512L VC4210L, 446L	
	2" ROTARY HAMMER HR5212C	1-3/8"	196858-4	P-70378	P-70384	VC4710	
		1", 1-3/8" 1-1/4"	196858-4			VC2000L VC3012L, VC2512L VC4210L, 446L	
	ROTARY HAMMERS HR4002, HR4010C, HR4011C HR4510C, HR4511C	1-3/8"	196074-8	P-70378	P-70384	VC4710	
		1", 1-3/8" 1-1/4"	196074-8			VC2000L VC3012L, VC2512L VC4210L, 446L	
	DEMOLITION & ROTARY HAMMERS HM0870C, HM0871C, HM1213C HM1214C, HR4002, HR4010C HR4011C, HR4013C, HR5210C HR5211C, HR5212C	1-3/8"	197172-1	P-70378	P-70384	VC4710	
		1", 1-3/8" 1-1/4"	197172-1			VC2000L VC3012L, VC2512L VC4210L, 446L	
	SDS-PLUS ROTARY HAMMERS HR2811F, HR2631F, HR2641 HR2475, HR2432, HR2470F HR1830F	1-3/8"	P-80015	P-80024	P-70378	P-70384	VC4710
		1", 1-3/8" 1-1/4"	P-80015		P-80024		VC2000L VC3012L, VC2512L VC4210L, 446L
	70 LBS BREAKER HAMMER HM1317CB, HM1812	1-3/8"	197172-1	P-70378	P-70384	VC4710	
		1", 1-3/8" 1-1/4"	197172-1			VC2000L VC3012L, VC2512L VC4210L, 446L	
	7" ANGLE GRINDERS GA7010, GA7050	1-3/8"	194044-1	195386-6 Diamond Cup Wheels		VC4710	
		1", 1-3/8" 1-1/4"	194044-1	195386-6 Diamond Cup Wheels	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
	5" ANGLE GRINDERS 9005B, GA5042C01 GA5043C01	1-3/8"	196587-1 Diamond Cup Wheels			VC4710	
		1", 1-3/8" 1-1/4"	196587-1 Diamond Cup Wheels		P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
	4-1/2" & 5" ANGLE GRINDERS 9564, 9565, GA5020 GA4542C01, GA4543C01	1-3/8"	194044-1	195236-5 Diamond Cup Wheels		VC4710	
		1", 1-3/8" 1-1/4"	194044-1	195236-5 Diamond Cup Wheels	P-70421	P-70378*	VC2000L VC3012L, VC2512L VC4210L, 446L
	4" ANGLE GRINDERS 9556PB, GA4030K	1-3/8"	192475-8	P-80024	P-70378	P-70384	VC4710
		1" 1-3/8"	192475-8		P-80024		VC2000L VC3012L, VC2512L VC4210L, 446L

LEADING SERVICE

Makita manufactures best-in-class industrial power tools for the professional user. Our tools work hard and stand up to brutal working conditions, but last even longer with periodic service and repairs. That's why we offer a comprehensive national service network. Makita Factory Service Centres deliver world-class service for the complete care of all Makita Products. We are also proud to offer a coast to coast network of Authorized Service Centres. Makita Authorized Service Centres meet our high-quality standards and provide the same distinguished service experienced at any of our Makita Factory Service Centres.



QUALITY SERVICE

- Repairs under warranty are covered at no charge
- Makita Factory Service Centre Technicians will repair your tool with genuine Makita parts
- 10 Factory Service Centres located across Canada
- Hundreds of Authorized Service Centres



FAST REPAIR TIME

- Your convenient solution for quick tool repairs
- Most repairs are completed within 3 business days of receipt
- 24/7 Solution for quick & convenient repairs



FIND AN AUTHORIZED SERVICE CENTRE

makita.ca > service

Eastern Canada Bilingual Service

1 800 263-3734


Hours: Mon - Fri, 8:00 am - 4:30 pm (EST)

Western Canada

1 800 663-0909

Hours: Mon - Fri, 8:00 am - 4:30 pm (PST)

info@makita.ca



WARRANTY STATEMENT

MAKITA CANADA INC.

Limited One Year General Product Warranty:

All Makita tools purchased in Canada from authorized dealers are warranted to be free of defects from workmanship and materials for a period of ONE YEAR from the date of original purchase.

Limited Two Year Outdoor Power Equipment Warranty:

All Makita gas powered outdoor power equipment (OPE) is warranted to be free of defects from workmanship and materials for a period of TWO YEARS from the date of original purchase. This warranty includes Makita gas powered OPE products (excludes gas powered air compressors) used in consumer, commercial or rental applications. Accessories included with OPE products have a ONE YEAR warranty. These accessories include but are not limited to; chainsaw chain, chainsaw bars, trimmer heads, brush cutter blades, handles, harnesses, hoses, connectors, filters, bags, tool kits, adjustment / maintenance tools.

Limited Three Year Pneumatic Nailer, Lithium Ion Tool, Battery and Charger Warranty:

All Makita lithium ion products, lithium ion batteries and lithium ion Battery chargers are warranted to be free of defects from workmanship and materials for a period of THREE YEARS from the date of original purchase. Exclusions are, but not limited to, flashlights, work lights, job site radios, speakers, jackets/vests, power source adapters and Battery adapters. Products excluded have a ONE YEAR warranty. All Makita pneumatic nailers and staplers are warranted to be free of defects from workmanship and materials for a period of THREE YEARS from the date of original purchase. Any accessories included with pneumatic nailing / stapling products have a ONE YEAR warranty. **NOTE:** The limited THREE YEAR warranty for Pneumatic nailers, staplers as well as **Lithium Ion** batteries and chargers applies only to products purchased **in Canada** after April 1, 2018.

Makita Warranty Terms, Limitations and Exclusions:

Should any problem develop during the specified warranty period shown above, return the complete product (freight prepaid) to one of Makita's Factory or Authorized Service Centres in Canada. If a qualified inspection shows the problem is caused by defective workmanship or material, Makita may choose to repair and / or replace the product in question. This warranty does not apply where:

- Repairs to the product have been made or attempted by others.
- Repairs to the product are required because of normal wear and tear.
Regarding pneumatic nailers / staplers the following wear items will be covered under the Limited One Year General Warranty: piston / driver assemblies, piston cushions / stoppers, driver blades, rubber O-rings, seals and air filters.
- The product has been abused, misused or improperly maintained.
- Alterations have been made to the product.
- Regarding lithium ion products and chargers; the use of non-Makita brand batteries will void all warranties for these products.

In no event shall Makita be liable for any indirect, incidental or consequential damages from the sale or use of the product. This disclaimer applies both during and after the term of this warranty. Makita disclaims liability for any implied warranties, including implied warranties of merchantability and fitness for a specific purpose, after the applicable term of this warranty. This warranty provides for specific legal rights. The provisions contained in this warranty are not intended to limit, modify or take away from, disclaim or exclude any warranties set forth in any legislation. To the extent required by law, the provisions in any provincial or federal legislation with respect to warranties take precedence over the provisions of this warranty.

This warranty is subject to change without notice.

Makita Canada **Order Desk & Distribution Centres**

Western Canada

Phone: 604-272-3104
Toll Free Phone: 1 800-663-0909
Toll Free Fax: 1 800-667-7078
Email: orderdeskmcv@makita.ca

Central, Québec & Eastern Canada

BILINGUAL SERVICE

Phone: 905-571-2200
Toll Free Phone: 1 800-263-3734
Toll Free Fax: 1 800-565-0906
Email (English): orderdeskmct@makita.ca
Email (Français): orderdeskmcq@makita.ca

FACTORY SERVICE CENTRES 10 LOCATIONS FROM COAST TO COAST

RICHMOND / VANCOUVER

11771 Hammersmith Way
Richmond, BC, V7A 5H6
Phone: 604-272-3104
Toll Free: 1 800-663-0909
Fax: 604-272-5416

CALGARY

#8 - 6325 11th Street SE
Calgary, AB, T2H 2L6
Phone: 403-243-3995
Toll Free: 1 800-267-0445

EDMONTON

11614 - 149 Street NW
Edmonton, AB, T5M 3R3
Phone: 780-455-6644
Toll Free: 1 888-455-6644
Fax: 780-451-4877

SASKATOON

206A - 2750 Faithful Avenue
Saskatoon, SK, S7K 6M6
Phone: 306-931-0111
Toll Free: 1 888-931-0111
Fax: 306-931-4574

WINNIPEG

1670 St. James Street
Winnipeg, MB, R3H 0L3
Phone: 204-694-0402
Toll Free: 1 800-550-5073
Fax: 204-694-5782

MISSISSAUGA / TORONTO

6350 Tomken Road Unit 8
Mississauga, ON, L5T 1Y3
Phone: 905-670-7255
Toll Free: 1 888-221-9811
Fax: 905-670-0120

WHITBY / TORONTO

1950 Forbes Street
Whitby, ON, L1N 7B7
Phone: 905-571-2200
Toll Free: 1 800-263-3734
Fax: 1 800-867-1683

MONTREAL / ST. LEONARD

6389 Boulevard Couture
St. Leonard, QC, H1P 3J5
Phone: 514-323-1223
Toll Free: 1 800 361-70

QUÉBEC CITY / LES SAULES

500 Avenue St. Jean Baptiste
Suite 100, Québec, QC,
G2E 6H5
Phone: 418-871-5720
Toll Free: 1 800-663-5757
Fax: 418-871-6684

DARTMOUTH / HALIFAX

204 Brownlow Avenue, Unit 145
Dartmouth, NS, B3B 0M4
Phone: 902-468-7064
Toll Free: 1 888-625-4821
Fax: 902-468-3551



Makita Canada Head Office & Distribution Centre
Whitby, Ontario